



WISeNET

HDD Compatibility List

Development Quality Team
Quality Assurance
Security Solution Business

SAMSUNG
WISeNET

Revision 7.8
2016.08.26

Prepared by Seyoung Park
Reviewed by Hyun Su Lee
Approved by Shin Hu An

Contents

Continuously Posting HDDs	Page
1. 3.5" HDD	
1.1 Seagate : 500G ~ 2T	3
1.2 Seagate : 3T ~ 6T	4
1.3 Seagate : 8T	5
1.4 Western Digital : 500G ~ 3T	6
1.5 Western Digital : 4T ~ 8T	7
2. Enterprise 3.5" HDD	
2.1 Seagate : 1T ~ 5T	8
2.2 Western Digital : 1T ~ 4T	8
3. 2.5" HDD	
3.1 Seagate	8
3.2 Western Digital	8
 Quit Posting (Tested Compatibility)	
Appendix 1. Quit Posting HDD List (Seagate)	9
Appendix 2. Quit Posting HDD List (Western Digital)	10
Appendix 3. Quit Posting Model List (Seagate)	12
Appendix 4. Quit Posting Model List (Western Digital)	13

※ Model Group List

	Group	Model
DVR	SRD-1630D	SRD-1630D/1630DC/1630
	SRD-1652D	SRD-1652D/852D
	SRD-1640	SRD-1640/840
	SRD-442	SRD-442
	SRD-1673D	SRD-1673D/1673/1653D/873D
	SRD-1654D	SRD-1654D/854D
	SRD-1680D	SRD-1680D/880D
	SRD-443	SRD-443
	SRD-1642	SRD-1642
	SRD-842	SRD-842
	SRD-1676D	SRD-1676D/1676/1656D/1656
	SRD-876D	SRD-876D/876/856
	SRD-1673DU	SRD-1673DU
	SRD-476D	SRD-476D/476/456
	SRD-445	SRD-445
	SRD-482	SRD-482
	SRD-1694	SRD-1694/1685
SRD-894	SRD-894	
SRD-494	SRD-494	
AIO	SDR-5200	SDR-5200/4200
	SDR-5102	SDR-5102
	SDR-4102	SDR-4102
	SDR-3102	SDR-3102
	SDR-C5300	SDR-C5300
	SDR-B3300	SDR-B3300
	SDR-C75300	SDR-C75300, SRD-1684
	SDR-C74300	SDR-C74300, SRD-893
	SDR-B73300	SDR-B73300, SRD-493
	SDR-B74031	SDR-B74031
SNR-D5401	SNR-D5401	
NVR	SRN-470D	SRN-470D
	SRN-1670D	SRN-1670D
	SRN-1000	SRN-1000
	SRN-4000	SRN-4000, VPM-4800
	SRN-472S	SRN-472S
	SRN-1673S	SRN-1673S/K3570S, VPM-6400, SRK-5120S
	SRN-873S	SRN-873S/K3470S, VPM-5400, SRK-4060S
	SRN-473S	SRN-473S/K3370S, VPM-4400, SRK-3030S/3040S
	SRM-872	SRM-872
	XRN-2011	XRN-2010/2011
XRN-1610S	XRN-1610S/1610	

1. 3.5" HDD

Remark

Testing	Modify	Add	Condition	Not Support
---------	--------	-----	-----------	-------------

1.1 Seagate : 500G ~ 2T

3

	NO	1	2	3	4	5	6	7	8	9	10
HDD	Capacity	500G	1T	1T	1T	1T	2T	2T	2T		
	Series name	Video 3.5	Video 3.5	SV35.6 Series	Surveillance	Surveillance	Video 3.5	SV35.6 Series	Surveillance		
	Model name	ST3500414CS	ST1000VM002	ST1000VX000	ST1000VX001	ST1000VX001	ST2000VM003	ST2000VX000	ST2000VX003		
	(Part Number)	(9GW142)	(1ET162)	(1ES162)	(1HH162)	(1Z4102)	(1ET164)	(1ES164)	(1HH164)		
	Interface	SATA 3Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb		
	Buffer	16MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB		
DVR	SRD-1630D	√	v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)		
	SRD-1652D	v1.01(†)	v1.01(†)	v1.01(†)	v1.01(†)	v1.01(†)	v1.01(†)	v1.01(†)	v1.01(†)		
	SRD-1640	√	√	√	√	√	√	√	√		
	SRD-442	√	√	√	√	√	√	√	√		
	SRD-1673D	√	√	√	√	√	√	√	√		
	SRD-1654D	√	√	√	√	√	√	√	√		
	SRD-1680D	√	√	√	√	√	√	√	√		
	SRD-443	√	√	√			√	√			
	SRD-1642	√	√	√	√	√	√	√	√		
	SRD-842	√	√	√	√	√	√	√	√		
	SRD-1676D	√	√	√	√	√	√	√	√		
	SRD-876D	√	√	√	√	√	√	√	√		
	SRD-1673DU	√	√	√	√	√	√	√	√		
	SRD-476D	√	√	√	√	√	√	√	√		
	SRD-445	√	√	√	√	√	√	√	√		
	SRD-482	√	√	√	√	√	√	√	√		
	SRD-1694		√				√				
SRD-894		√	√			√					
SRD-494		√				√					
AIO	SDR-5200	√	√	√	√	√	√	√	√		
	SDR-5102	√	√	√	√	√	√	√	√		
	SDR-4102	√	√	√	√	√	√	√	√		
	SDR-3102	√	√	√	√	√	√	√	√		
	SDR-C5300	√	√	√	√	√	√	√	√		
	SDR-B3300	√	√	√	√	√	√	√	√		
	SDR-C75300	√	√	√	√	√	√	√	√		
	SDR-C74300			√	√	√	√		√		
	SDR-B73300				√	√	√		√		
	SDR-B74031										
SNR-D5401	√										
NVR	SRN-470D	√	v2.00(†)	v2.00(†)	v2.00(†)	v2.00(†)	v2.00(†)	v2.00(†)	v2.00(†)		
	SRN-1670D	√	√	√	√	√	√	√	√		
	SRN-1000	√	√	√	√	√	√	√	√		
	SRN-4000	Not Support	√	Not Support	√	√	√	Not Support	√		
	SRN-472S	√	√	√	√	√	√	√	√		
	SRN-1673S	√	√	√	√	√	√	√	√		
	SRN-873S	√	√	√	√	√	√	√	√		
	SRN-473S	√	√	√	√	√	√	√	√		
	XRN-2011					√		√			
XRN-1610S											
Storage	SVS-5E	√	√	√			√	√	√		

1. 3.5" HDD

Remark

Testing	Modify	Add	Condition	Not Support
---------	--------	-----	-----------	-------------

1.2 Seagate : 3T ~ 6T

4

	NO	11	12	13	14	15	16	17	18	19	20
HDD	Capacity	3T	3T	3T	3T	4T	4T	4T	5T	6T	6T
	Series name	SV35.6 Series	Video 3.5	Surveillance	Surveillance	Video 3.5	Surveillance	Surveillance	Surveillance	Surveillance	Surveillance
	Model name	ST3000VX000	ST3000VM002	ST3000VX002	ST3000VX006	ST4000VM000	ST4000VX000	ST4000VX000	ST5000VX0001	ST6000VX0001	ST6000VX0003
	(Part Number)	(1ES166)	(1ET166)	(1F416R)	(1HH166)	(1F3168)	(1F4168)	(2AG166)	(1SH17X)	(1SH17Z)	(1ZH110)
	Interface	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb
	Buffer	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	128MB	128MB
DVR	SRD-1630D	v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)	
	SRD-1652D	v1.01(†)	v1.01(†)	v1.01(†)	v1.01(†)	v1.01(†)	v1.01(†)	v1.01(†)	v1.01(†)	v1.01(†)	
	SRD-1640	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)			
	SRD-442	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)	
	SRD-1673D	√	√	√	√	√	√	√	√	√	
	SRD-1654D	√	√	√	√	√	√	√	√	√	
	SRD-1680D	√	√	√	√	√	√	√	√	√	√
	SRD-443	√	√	√	√	√	√	√			
	SRD-1642	√	√	√	√	√	√	√	√		
	SRD-842	√	√	√	√	√	√	√	√		
	SRD-1676D	√	√	√	√	√	√	√	√	√	
	SRD-876D	√	√	√	√	√	√	√	√	√	
	SRD-1673DU	√	√	√	√	√	√	√	√	√	
	SRD-476D	√	√	√	√	√	√	√	√	√	
	SRD-445	√	√	√	√	√	√	√	√		
	SRD-482	√	√	√	√	√	√	√			
	SRD-1694	√						√		√	
SRD-894	√						√		√		
SRD-494									√		
AIO	SDR-5200	√	√	√	√	√	√	√			
	SDR-5102	√	√	√	√	√	√	√	√		
	SDR-4102	√	√	√	√	√	√	√	√		
	SDR-3102	√	√	√	√	√	√	√			
	SDR-C5300	√	√	√	√	√	√	√	√	√	
	SDR-B3300	√	√	√	√	√	√	√	√	√	
	SDR-C75300	√	√	√	√	√	√	√			√
	SDR-C74300	√	√	√	√	√	√	√			
	SDR-B73300		√	√	√		√	√			
	SDR-B74031	√									
SNR-D5401											
NVR	SRN-470D	v2.00(†)	v2.00(†)	v2.00(†)	v2.00(†)	v2.00(†)	v2.00(†)	v2.00(†)	v2.00(†)	v2.00(†)	
	SRN-1670D	√	√	√	√	√	√	√	√	√	
	SRN-1000	√	√	√	√	√	√	√	v1.52(†)	v1.52(†)	
	SRN-4000	Not Support	√	√	√	√	√	√	v2.10(†)	v2.10(†)	
	SRN-472S	√	√	√	√	√	√	√	√	√	
	SRN-1673S	√	√	√	√	√	v1.02(†)	v1.02(†)	√	√	
	SRN-873S	√	√	√	√	√	√	√	√	√	
	SRN-473S	√	√	√	√	√	√	√	Not Support	Not Support	
	XRN-2011						√				
	XRN-1610S										
Storage	SVS-5E	√	√	√	√		√	√			

※ Condition : Field installation recommended

1. 3.5" HDD

Remark

Testing	Modify	Add	Condition	Not Support
---------	--------	-----	-----------	-------------

1.3 Seagate : 8T

5

	NO	21	22	23	24	25	26	27	28	29	30
HDD	Capacity	8T									
	Series name	Surveillance									
	Model name (Part Number)	ST8000VX0002 (LZ6112)									
	Interface	SATA 6Gb									
	Buffer	256MB									
	DVR	SRD-1630D									
SRD-1652D											
SRD-1640											
SRD-442											
SRD-1673D											
SRD-1654D											
SRD-1680D											
SRD-443											
SRD-1642											
SRD-842											
SRD-1676D											
SRD-876D											
SRD-1673DU											
SRD-476D											
SRD-445											
SRD-482											
SRD-1694											
SRD-894											
SRD-494											
AIO	SDR-5200										
	SDR-5102										
	SDR-4102										
	SDR-3102										
	SDR-C5300										
	SDR-B3300										
	SDR-C75300										
	SDR-C74300	√									
	SDR-B73300										
	SDR-B74031	√									
SNR-D5401											
NVR	SRN-470D										
	SRN-1670D										
	SRN-1000										
	SRN-4000										
	SRN-472S										
	SRN-1673S										
	SRN-873S										
	SRN-473S										
	XRN-2011										
	XRN-1610S										
Storage	SVS-5E										

※ Condition : Field installation recommended

1. 3.5" HDD

Remark

Testing	Modify	Add	Condition	Not Support
---------	--------	-----	-----------	-------------

1.4 Western Digital : 500G ~ 3T

※ Caution : Check the entire model name

6

	NO	1	2	3	4	5	6	7	8	9	10
HDD	Capacity	500G	1T	1T	1T	2T	2T	3T	3T		
	Series name	AV-GP	AV	WD Purple	WD Purple	AV-GP	WD Purple	AV-GP	WD Purple		
	Model name	WD5000AVDS-63U7B1	WD10EURX-64RPPY0	WD10PURX-64D85Y0	WD10PURX-64E5EY0	WD20EURX-63T0FY0	WD20PURX-64P6ZY0	WD30EURX-63T0FY0	WD30PURX-64P6ZY0		
	Interface	SATA 3Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb		
	Buffer	32MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB		
DVR	SRD-1630D	√	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support		
	SRD-1652D	√	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support		
	SRD-1640	√	√	√	√	√	√	v1.30(↑)	v1.30(↑)		
	SRD-442	√	√	√	√	√	√	v1.30(↑)	v1.30(↑)		
	SRD-1673D	√	√	√	√	√	√	√	√		
	SRD-1654D	√	√	√	√	√	√	√	√		
	SRD-1680D	√	√	√	√	√	√	√	√		
	SRD-443	√	√	√		√	√	√	√		
	SRD-1642	√	√	√	√	√	√	√	√		
	SRD-842	√	√	√	√	√	√	√	√		
	SRD-1676D	√	√	√	√	√	√	√	√		
	SRD-876D	√	√	√	√	√	√	√	√		
	SRD-1673DU	√	√	√	√	√	√	√	√		
	SRD-476D	√	√	√	√	√	√	√	√		
	SRD-445	√	√	√	√	√	√	√	√		
SRD-482	√	√	√	√	√	√	√	√			
SRD-1694					√		√		√		
SRD-894											
SRD-494					√						
AIO	SDR-5200	√	√	√	√	√	√	√	√		
	SDR-5102	√	√	√	√	√	√	√	√		
	SDR-4102	√	√	√	√	√	√	√	√		
	SDR-3102	√	√	√	√	√	√	√	√		
	SDR-C5300	√	√	√	√	√	√	√	√		
	SDR-B3300	√	√	√	√	√	√	√	√		
	SDR-C75300			√	√	√	√		√		
	SDR-C74300			√	√		√		√		
	SDR-B73300			√	√		√		√		
	SDR-B74031				√		√		√		
SNR-D5401											
NVR	SRN-470D	√	√	√	√	√	√	√	√		
	SRN-1670D	√	√	√	√	√	√	√	√		
	SRN-1000	√	√	√	√	√	√	√	√		
	SRN-4000	Not Support	√	√	√	Not Support	√	Not Support	√		
	SRN-472S	√	√	√	√	√	√	√	√		
	SRN-1673S	√	√	√	√	√	√	√	√		
	SRN-873S	√	√	√	√	√	√	√	√		
	SRN-473S	√	√	√	√	√	√	√	√		
	XRN-2011				√		√		√		
	XRN-1610S			√	√		√				
Storage	SVS-5E	√	√	√		√	√		√		

1. 3.5" HDD

Remark

Testing	Modify	Add	Condition	Not Support
---------	--------	-----	-----------	-------------

1.5 Western Digital : 4T ~ 8T

※ Caution : Check the entire model name

7

	NO	11	12	13	14	15	16	17	18	19	20
HDD	Capacity	4T	4T	4T	5T	5T	6T	6T	6T	8T	
	Series name	AV	WD Purple	WD Purple NV	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple NV	WD Purple	
	Model name	WD40EURX-64WRWY0	WD40PURX-64GVNY0	WD4NPURX-64TPFY0	WD50PURX-64LZMY0	WD50PURX-64T0ZY0	WD60PURX-64LZMY0	WD60PURX-64T0ZY0	WD6NPURX-64JC5Y0	WD80PUZX-64NEAY0	
	Interface	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	
	Buffer	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	128MB	
DVR	SRD-1630D	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	
	SRD-1652D	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	
	SRD-1640	v1.30(†)	v1.30(†)		v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)			
	SRD-442	v1.30(†)	v1.30(†)		v1.30(†)		v1.30(†)				
	SRD-1673D	√	√		√	√	√	√	√		
	SRD-1654D	√	√	√	√	√	√	√			
	SRD-1680D	√	√	√	√	√	√	√	√	√	
	SRD-443	√	√		√		√				
	SRD-1642	√		√	√	√	√	√		√	
	SRD-842	√	√	√	√	√	√	√		√	
	SRD-1676D	√	√	√	√	√	√	√			
	SRD-876D	√	√		√	√	√	√			
	SRD-1673DU	√	√	√	√	√	√	√	√		
	SRD-476D	√	√	√	√	√	√	√			
	SRD-445	√	√		√		√				
	SRD-482	√	√		√		√				
SRD-1694		√			√	√					
SRD-894		√									
SRD-494		√				√					
AIO	SDR-5200	√	√	√	√	√	√	√	√	√	
	SDR-5102	√	√	√	√		√	√		√	
	SDR-4102	√	√	√	√		√	√			
	SDR-3102	√	√	√	√	√	√				
	SDR-C5300	√	√	√	√	√	√	√	√		
	SDR-B3300		√		√		√				
	SDR-C75300	√		√	√	√	√	√		√	
	SDR-C74300			√	√	√	√	√	√		
	SDR-B73300				√		√	√			
	SDR-B74031		√			√					
SNR-D5401											
NVR	SRN-470D	√	√		√	√	√	√			
	SRN-1670D	√	√		√	√	√	√	√		
	SRN-1000	√	√		v1.52(†)		v1.52(†)				
	SRN-4000	√	√		v2.10(†)		v2.10(†)			v2.10(†)	
	SRN-472S	√	√	√	√	√	√	√			
	SRN-1673S	√	√		√		√				
	SRN-873S	√	√		√		√	√			
	SRN-473S	√	√	√	√		√	√	√		
	XRN-2011						√	√			
XRN-1610S		√				√					
Storage	SVS-5E				√		√				

※ Condition : Field installation recommended

2. Enterprise 3.5" HDD

Remark

Testing	Modify	Add	Condition	Not Support
---------	--------	-----	-----------	-------------

2.1 Seagate : 1T ~ 5T

8

	NO	1	2	3	4	5	6	7	8	9	10
HDD	Capacity	1T	2T	3T	4T	5T					
	Series name	Constellation ES.3	Constellation ES.3	Constellation ES.3	Constellation ES.3	Enterprise Capacity 3.5					
	Model name	ST1000NM0033	ST2000NM0033	ST3000NM0033	ST4000NM0033	ST5000NM0084					
	Interface	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb					
	Buffer	128MB	128MB	128MB	128MB	128MB					
NVR	SRN-4000	√	√	√	√	v2.00(1)					
	XRN-2011										
Storage	SVS-5R	√			√						

2.2 Western Digital : 1T ~ 4T

8

	NO	1	2	3	4	5	6	7	8	9	10
HDD	Capacity	1T	1T	1T	2T	2T	3T	3T	4T		
	Series name	RE	SE	SE	RE	RE	RE	RE	RE		
	Model name	WD1003FBYZ-010FB0	WD1002F9YZ-09H1JL0	WD1002F9YZ-09H1JL1	WD2000FYYZ-01UL1B1	WD2000FYYZ-01UL1B2	WD3000FYYZ-01UL1B1	WD3000FYYZ-01UL1B2	WD4000FYYZ-01UL1B2		
	Interface	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb		
	Buffer	64MB	128MB	128MB	64MB	64MB	64MB	64MB	64MB		
NVR	SRN-4000	√	√	√	√	√	√	√	√		
	XRN-2011										
Storage	SVS-5R	√	√	√	√	√	√	√	√		

3. 2.5" HDD

3.1 Seagate

8

	NO	1	2	3	4	5	6	7	8	9	10
HDD	Capacity	1T	2T								
	Series name	Momentus	Spinpoint M9T								
	Model name	ST1000LM024	ST2000LM003								
	Interface	SATA 3Gb	SATA 6Gb								
	Buffer	16MB	32MB								
NVR	SRM-872	√	√								

3.2 Western Digital

8

	NO	1	2	3	4	5	6	7	8	9	10
HDD	Capacity	500G	500G	1T							
	Series name	AV-25	AV-25	AV-25							
	Model name	WD5000LUCT-63C26Y0	WD5000LUCT-63RC2Y0	WD10JUCT-63CYN0							
	Interface	SATA 3Gb	SATA 3Gb	SATA 3Gb							
	Buffer	16MB	16MB	16MB							
NVR	SRM-872	√	√	√							

Appendix 1. Quit Posting HDD List (Seagate)

Remark

EOL	Condition	Not Support
-----	-----------	-------------

A1.1 Seagate (250G ~ 500G)

9

	NO	1	2	3	4	5	6	7	8	9	10
	HDD	Capacity	250G	250G	500G	500G	500G				
Series name		SV35.5 Series	Video 3.5	Pipeline HD	SV35 Series	SV35.5 Series					
Model name		ST3250311SV	ST3250312CS	ST3500312CS	ST3500411SV	ST3500410SV					
Interface		SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb					
Buffer		8MB	8MB	8MB	16MB	16MB					
DVR	SRD-1670D	√	√	v1.06(†)	v1.06(†)	√					
	SRD-1630D	√	√	v1.06(†)	v1.06(†)	√					
	SRD-470D		√	v1.06(†)	v1.06(†)	√					
	SRD-1652D		v1.01(†)	v1.01(†)	v1.01(†)	√					
	SRD-440	√	√	√	√	√					
	SRD-1640		√		√						
	SRD-442		√		√						
	SRD-1673D		√								
	SRD-1654D		√								
	SRD-473D		√								
NVR	SRN-470D		√	√	√						
	SRN-1670D		√	√	√						
	SRN-1000										
	SRN-4000										
Storage	SVS-5E				√						
	SVS-5R										

A1.2 Seagate (1T ~ 2T)

	NO	11	12	13	14	15	16	17	18	19	20
	HDD	Capacity	1T	1T	1T	1T	1T	1T	1T	2T	2T
Series name		Pipeline HD	Pipeline HD.2	SV35.5 Series	SV35 Series	Constellation ES7200	SV35.3 Series	Constellation ES	SV35 Series	Pipeline HD	
Model name		ST31000322CS	ST31000424CS	ST31000525SV	ST31000526SV	ST31000524NS	ST31000340SV	ST1000NM0011	ST2000VX002	ST2000VM002	
Interface		SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 6Gb	SATA 3Gb	SATA 3Gb	
Buffer		8MB	16MB	32MB	32MB	32MB	32MB	64MB	64MB	64MB	
DVR	SRD-1670D	v1.06(†)	√	√	v1.06(†)	√	√		v1.06(†)	v1.06(†)	
	SRD-1630D	v1.06(†)	√	√	v1.06(†)	√	√		v1.06(†)	v1.06(†)	
	SRD-470D	v1.06(†)	√	√	v1.06(†)	√	√		v1.06(†)	v1.06(†)	
	SRD-1652D	v1.01(†)	v1.01(†)		v1.01(†)				v1.01(†)	v1.01(†)	
	SRD-440	√	√	√	√		√		√	√	
	SRD-1640		√		√				√	√	
	SRD-442		√		√				√	√	
	SRD-1673D								√	√	
	SRD-1654D									√	
	SRD-473D										√
NVR	SRN-470D	√	√		√				√	√	
	SRN-1670D	√	√		√				√	√	
	SRN-1000		√						√	√	
	SRN-4000							√			
Storage	SVS-5E		√				√				
	SVS-5R							√			

Appendix 2. Quit Posting HDD List (Western Digital)

Remark

EOL

Condition

Not Support

A2.1 Western Digital (500G ~ 1T)

10

	NO	1	2	3	4	5	6	7	8	9	10
HDD	Capacity	250G	500G	500G	750G	1T	1T	1T	1T	1T	
	Series name	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	RE	
	Model name	WD2500AVJS	WD5000AVVS-63ZWB0	WD5000AVDS	WD7500AVVS	WD10EVVS-63E1B1	WD10EURS	WD10EURX-63FH1Y0	WD10EURX-63C57Y0	WD1003FBYX	
	Interface	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 6Gb	SATA 6Gb	SATA 3Gb	
	Buffer	8MB	16MB	32MB	16MB	8MB	64MB	64MB	64MB	64MB	
DVR	SRD-1670D		√		√	√	v1.06(†)	Not Support	Not Support		
	SRD-1630D		√		√	√	v1.06(†)	Not Support	Not Support		
	SRD-470D		√		√	√	v1.06(†)	v1.06(†)	√		
	SRD-1652D						v1.01(†)	Not Support	Not Support		
	SRD-440						√	√	√		
	SRD-1640						√	√	√		
	SRD-442						√	√	√		
	SRD-1673D							√	√		
	SRD-1654D							√	√		
	SRD-473D							√	√		
	SRD-1680D								√		
	SRD-443								√		
	SRD-1642								√		
	SRD-842								√		
	SRD-1676D								√		
	SRD-876D								√		
	SRD-1673DU								√		
	SRD-476D								√		
SRD-445								√			
SRD-482								√			
SRD-480D								√			
AIO	SDR-5200								√		
	SDR-5102								√		
	SDR-4102								√		
	SDR-3102								√		
	SDR-C5300								√		
	SDR-B3300								√		
	SDR-C75300										
	SDR-C74300										
SDR-B73300											
NVR	SRN-470D							v1.10(†)	√		
	SRN-1670D							√	√		
	SRN-1000							√	√		
	SRN-4000								Not Support		
	SRN-472S								√		
	SRN-1673S								√		
	SRN-873S								√		
	SRN-473S								√		
SRN-E470											
Storage	SVS-5E	√	√	√		√	√	√			
	SVS-5R									√	

Appendix 2. Quit Posting HDD List (Western Digital)

Remark

EOL	Condition	Not Support
-----	-----------	-------------

A2.2 Western Digital (2T ~ 3T)

11

	NO	11	12	13	14	15	16	17	18	19	20
HDD	Capacity	2T	2T	2T	2T	2T	3T	3T	3T		
	Series name	AV-GP	AV-GP	AV-GP	AV-GP	WD RE	AV-GP	AV-GP	AV-GP		
	Model name	WD20EVDS	WD20EURS-63S48Y0	WD20EURS-63SPKY0	WD20EURX-64HZY0	WD2003FYYS	WD30EURS-63SPKY0	WD30EURS-63R8UY0	WD30EURX-64HZY0		
	Interface	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 6Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 6Gb		
	Buffer	32MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB		
DVR	SRD-1670D	v1.06(†)	v1.06(†)	Not Support	Not Support		Not Support	v1.06(†)	Not Support		
	SRD-1630D	v1.06(†)	v1.06(†)	Not Support	Not Support		Not Support	v1.06(†)	Not Support		
	SRD-470D	v1.06(†)	v1.06(†)	v1.06(†)	V1.34(†)		v1.06(†)	v1.06(†)	V1.34(†)		
	SRD-1652D	v1.01(†)	v1.01(†)	Not Support	Not Support		Not Support	v1.01(†)	Not Support		
	SRD-440		√	√	√		V1.30(†)	V1.30(†)	V1.30(†)		
	SRD-1640		√	√	√		V1.30(†)	V1.30(†)	V1.30(†)		
	SRD-442		√	√	√		V1.30(†)	V1.30(†)	V1.30(†)		
	SRD-1673D		√	√	√		√	√	√		
	SRD-1654D		√	√	√		√	√	√		
	SRD-473D		√	√	√		√	√	√		
	SRD-1680D				√				√		
	SRD-443				√				√		
	SRD-1642				√				√		
	SRD-842				√				√		
	SRD-1676D				√				√		
	SRD-876D				√				√		
	SRD-1673DU				√				√		
	SRD-476D				√				√		
	SRD-445				√				√		
SRD-482				√				√			
SRD-480D		√									
AIO	SDR-5200				√				√		
	SDR-5102				√				√		
	SDR-4102				√				√		
	SDR-3102				√				√		
	SDR-C5300				√				√		
	SDR-B3300				√				√		
	SDR-C75300										
	SDR-C74300										
SDR-B73300											
NVR	SRN-470D		√	√	√		√	√	√		
	SRN-1670D		√	√	√		√	√	√		
	SRN-1000		√	√	√		√	√	√		
	SRN-4000				√				√		
	SRN-472S				√				√		
	SRN-1673S				√				√		
	SRN-873S				√				√		
	SRN-473S				√				√		
SRN-E470											
Storage	SVS-5E	√	√					√			
	SVS-5R					√					

Appendix 3. Quit Posting Model List (Seagate)

Remark EOL Condition Not Support

A3.1 Seagate (250G ~ 750G)

12

HDD	NO	1	2	3	4	5	6	7	8	9	10
		Capacity	250G	250G	250G	500G	500G	500G	500G	500G	750G
	Series name	SV35.3 Series	SV35.5 Series	Pipeline HD.2	SV35 Series	SV35.3 Series	SV35.5 Series	Pipeline HD	Pipeline HD.2	SV35.3 Series	
	Model name	ST3250310SV	ST3250311SV	ST3250312CS	ST3500411SV	ST3500320SV	ST3500410SV	ST3500312CS	ST3500414CS	ST3750330SV	
	Interface	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	
	Buffer	8MB	8MB	16MB	16MB	32MB	16MB	8MB	16MB	32MB	
DVR	SHR-6.../7.../8...	√	√	√		√	√		√	√	
	SHR-6040/6042		√	√			√		√	√	
	SVR-1670	√	√	√		√	√		√	√	
	SVR-3200/480	√				√				√	
	SVR-1645/1660		√	√			√		√		
	SVR-1680										
	SVR-960/945		√	√			√		√		
	SRD-1670D								√		
	SRD-470D								√		
NVR	SNR-6400/3200			√	√			√	√		
	SRN-6450/3250			√	√			√	√		

A3.2 Seagate : 1T

HDD	NO	11	12	13	14	15	16	17	18	19	20
		Capacity	1T	1T	1T	1T	1T	1T	1T	1T	
	Series name	Pipeline HD	Pipeline HD.2	SV35.3 Series	SV35.5 Series	Video 3.5	SV35.6 Series	Surveillance	SV35 Series		
	Model name	ST31000322CS	ST31000424CS	ST31000340SV	ST31000525SV	ST1000VM002	ST1000VX000	ST1000VX001	ST31000526SV		
	Interface	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 3Gb		
	Buffer	8MB	16MB	32MB	32MB	64MB	64MB	64MB	32MB		
DVR	SHR-6.../7.../8...		√	√	√						
	SHR-6040/6042		√	√	√						
	SVR-1670		√	√	√						
	SVR-3200/480			√							
	SVR-1645/1660		√		√						
	SVR-1680										
	SVR-960/945		√		√						
	SRD-1670D						v1.06(†)	v1.06(†)	v1.06(†)		
	SRD-470D						v1.34(†)	v1.34(†)	v1.34(†)		
NVR	SNR-6400/3200	√	√				V2.24(†)		√		
	SRN-6450/3250	√	√				V2.24(†)		√		

A3.3 Seagate (2T ~ 3T)

HDD	NO	21	22	23	24	25	26	27	28	29	30
		Capacity	2T	2T	2T	2T	2T	3T	3T	3T	3T
	Series name	Video 3.5	SV35.6 Series	Surveillance	Pipeline HD	SV35 Series	SV35.6 Series	Video 3.5	Surveillance	Surveillance	
	Model name	ST2000VM003	ST2000VX000	ST2000VX003	ST2000VM002	ST2000VX002	ST3000VX000	ST3000VM002	ST3000VX002	ST3000VX006	
	Interface	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 3Gb	SATA 3Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	
	Buffer	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	
DVR	SRD-1670D	v1.06(†)	v1.06(†)	v1.06(†)			v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)	
	SRD-470D	v1.34(†)	v1.34(†)	v1.34(†)			v1.34(†)	v1.34(†)	v1.34(†)	v1.34(†)	
	SRD-440	√	√	√			v1.30(†)	v1.30(†)	v1.30(†)	√	
	SRD-473D	√	√	√			√	√	√	√	
NVR	SNR-6400/3200				√	V2.24(†)					
	SRN-6450/3250				√	V2.24(†)					

A3.4 Seagate (4T ~ 6T)

HDD	NO	21	22	23	24	25	26	27	28	29	30
		Capacity	4T	4T	5T	6T					
	Series name	Video 3.5	Surveillance	Surveillance	Surveillance						
	Model name	ST4000VM000	ST4000VX000	ST5000VX0001	ST6000VX0001						
	Interface	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb						
	Buffer	64MB	64MB	128MB	128MB						
DVR	SRD-1670D	v1.06(†)	v1.06(†)	v1.06(†)	v1.06(†)						
	SRD-470D	v1.34(†)	v1.34(†)	v1.34(†)	v1.34(†)						
	SRD-440	v1.30(†)	v1.30(†)		Not Support						
	SRD-473D	√	√		√						
NVR	SNR-6400/3200										
	SRN-6450/3250										

Appendix 4. Quit Posting Model List (Western Digital)

Remark EOL Condition Not Support

A4.1 Western Digital (250G ~ 750G)

13

	NO	1	2	3	4	5	6	7	8	9	10
HDD	Capacity	250G	320G	500G	500G	500G	500G	500G	500G	750G	
	Series name	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	
	Model name	WD2500AVJS	WD3200AVVS-63L2B0	WD5000AVVS	WD5000AVVS-63H0B1	WD5000AVVS-63M8B0	WD5000AVVS-63ZW80	WD5000AVDS-63U7B1	WD5000AVVS-63M8B0	WD7500AVVS	
	Interface	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	
	Buffer	8MB	8MB	8MB	8MB	8MB	16MB	32MB	8MB	8MB	
DVR	SHR-6.../7.../8...			√						√	
	SHR-6040/6042		√			√					
	SVR-1670	√	√		√		√	√			
	SVR-3200/480	√	√		√		√	√			
	SVR-1645/1660										
	SRD-1670D							√			
	SRD-470D							√			
	SRD-440							√			
NVR	SNR-6400/3200					√					
	SRN-6450/3250					√					

A4.2 Western Digital (1T)

	NO	11	12	13	14	15	16	17	18	19	20
HDD	Capacity	1T	1T	1T	1T	1T	1T	1T			
	Series name	AV-GP	AV-GP	AV-GP	AV-GP	AV	WD Purple	WD Purple			
	Model name	WD10EVVS	WD10EVVS-63E1B1	WD10EVCS	WD10EURS	WD10EURX-64RPPY0	WD10PURX-64D85Y0	WD10PURX-64E5EY0			
	Interface	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 3Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb			
	Buffer	8MB	8MB	8MB	8MB	64MB	64MB	64MB			
DVR	SHR-6.../7.../8...	√									
	SHR-6040/6042										
	SVR-1670		√	√	√						
	SVR-3200/480		√	√	√						
	SVR-1645/1660				√						
	SRD-1670D					Not Support	Not Support	Not Support			
	SRD-470D					v1.34(†)	v1.34(†)	v1.34(†)			
	SRD-440					√	√				
SRD-473D					√	√					

A4.3 Western Digital (2T ~ 4T)

	NO	21	22	23	24	25	26	27	28	29	30
HDD	Capacity	2T	2T	2T	2T	3T	3T	4T	4T	4T	
	Series name	AV-GP	AV-GP	AV-GP	WD Purple	AV-GP	WD Purple	AV	WD Purple	WD Purple NV	
	Model name	WD20EVD5	WD20EVRX-64C4EY0	WD20EVRX-62T0EY0	WD20EVRX-64D6ZY0	WD20EVRX-62T0EY0	WD20EVRX-64D6ZY0	WD20EVRX-64M8EY0	WD40EVRX-64C4EY0	WD40EVRX-64T0EY0	
	Interface	SATA 3Gb	SATA 3Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb
	Buffer	8MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB
DVR	SHR-6040/6042	√									
	SVR-1670	√	√								
	SVR-3200/480	√	√								
	SVR-1645/1660		√								
	SRD-1670D			Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	Not Support	
	SRD-470D			v1.34(†)	v1.34(†)	v1.34(†)	v1.34(†)	v1.34(†)	v1.34(†)	v1.34(†)	
	SRD-440			√	√	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)	v1.30(†)	
	SRD-473D			√	√	√	√	√	√		
NVR	SNR-6400/3200		√								
	SRN-6450/3250		√								

A4.4 Western Digital (5T ~ 6T)

	NO	31	32	33	34	35	36	37	38	39	40
HDD	Capacity	5T	5T	6T	6T	6T					
	Series name	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple NV					
	Model name	WD50PURX-64LZMY0	WD50PURX-64T0ZY0	WD60PURX-64LZMY0	WD60PURX-64T0ZY0	WD6NPURX-64JC5Y0					
	Interface	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb	SATA 6Gb					
	Buffer	64MB	64MB	64MB	64MB	64MB					
DVR	SRD-1670D	Not Support	Not Support	Not Support	Not Support	Not Support					
	SRD-470D	v1.34(†)		v1.34(†)							
	SRD-440	v1.30(†)		v1.30(†)							
	SRD-473D	√		√							

Revision History

Version	Date	변경내역	비고																																																																																																		
Rev 7.8	2016.08.26	<p>※ Remark Condition: The number of Seagate 5T/6T HDD screw hole have been changed from four to two. They need field installation - Remark Add Model: SRD-1642/842, SDR-B74031, SDR-5200, SDR-C75300 ※ New Model : SDR-B74031, SNR-D5401, XRN-2011, XRN-1610S ※ New HDD : ST8000VX0002</p> <p>※ 15년 8월 출시 HDD 호환성 Update(CE용 4종)</p> <table border="1"> <thead> <tr> <th colspan="2">신규HDD</th> <th>WD50PURX-64T0ZY0</th> <th>WD60PURX-64T0ZY0</th> <th>WD4NPURX-64TPFY0</th> <th>WD6NPURX-64JC5Y0</th> <th>완료율</th> </tr> </thead> <tbody> <tr> <td>대상 모델</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DVR</td> <td>19</td> <td>13</td> <td>12</td> <td>9</td> <td>5</td> <td>51%</td> </tr> <tr> <td>AIO</td> <td>11</td> <td>6</td> <td>7</td> <td>7</td> <td>3</td> <td>52%</td> </tr> <tr> <td>NVR</td> <td>10</td> <td>2</td> <td>6</td> <td>2</td> <td>2</td> <td>30%</td> </tr> <tr> <td>Storage</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0%</td> </tr> <tr> <td>합계</td> <td>41</td> <td>21</td> <td>25</td> <td>18</td> <td>10</td> <td>45%</td> </tr> </tbody> </table> <p>※ 16년 4월 출시 HDD 호환성 Update(CE용 4종)</p> <table border="1"> <thead> <tr> <th colspan="2">신규HDD</th> <th>ST4000VX000(2AG166)</th> <th>ST1000VX001(1Z4102)</th> <th>ST6000VX0003(1ZH110)</th> <th>WD80PUZX-64NEAY0</th> <th>완료율</th> </tr> </thead> <tbody> <tr> <td>대상 모델</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DVR</td> <td>19</td> <td>18</td> <td>15</td> <td>1</td> <td>3</td> <td>49%</td> </tr> <tr> <td>AIO</td> <td>11</td> <td>9</td> <td>9</td> <td>1</td> <td>1</td> <td>45%</td> </tr> <tr> <td>NVR</td> <td>10</td> <td>8</td> <td>9</td> <td>0</td> <td>0</td> <td>43%</td> </tr> <tr> <td>Storage</td> <td>1</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>25%</td> </tr> <tr> <td>합계</td> <td>41</td> <td>36</td> <td>33</td> <td>2</td> <td>4</td> <td>46%</td> </tr> </tbody> </table>	신규HDD		WD50PURX-64T0ZY0	WD60PURX-64T0ZY0	WD4NPURX-64TPFY0	WD6NPURX-64JC5Y0	완료율	대상 모델							DVR	19	13	12	9	5	51%	AIO	11	6	7	7	3	52%	NVR	10	2	6	2	2	30%	Storage	1	0	0	0	0	0%	합계	41	21	25	18	10	45%	신규HDD		ST4000VX000(2AG166)	ST1000VX001(1Z4102)	ST6000VX0003(1ZH110)	WD80PUZX-64NEAY0	완료율	대상 모델							DVR	19	18	15	1	3	49%	AIO	11	9	9	1	1	45%	NVR	10	8	9	0	0	43%	Storage	1	1	0	0	0	25%	합계	41	36	33	2	4	46%	
신규HDD		WD50PURX-64T0ZY0	WD60PURX-64T0ZY0	WD4NPURX-64TPFY0	WD6NPURX-64JC5Y0	완료율																																																																																															
대상 모델																																																																																																					
DVR	19	13	12	9	5	51%																																																																																															
AIO	11	6	7	7	3	52%																																																																																															
NVR	10	2	6	2	2	30%																																																																																															
Storage	1	0	0	0	0	0%																																																																																															
합계	41	21	25	18	10	45%																																																																																															
신규HDD		ST4000VX000(2AG166)	ST1000VX001(1Z4102)	ST6000VX0003(1ZH110)	WD80PUZX-64NEAY0	완료율																																																																																															
대상 모델																																																																																																					
DVR	19	18	15	1	3	49%																																																																																															
AIO	11	9	9	1	1	45%																																																																																															
NVR	10	8	9	0	0	43%																																																																																															
Storage	1	1	0	0	0	25%																																																																																															
합계	41	36	33	2	4	46%																																																																																															