

HDD Compatibility list

SQE TEAM
Security Solution Business

Revision 11.24
2023.12.14

Prepared by Young soo, Lee
Reviewed by Jin Seok, Yoon
Approved by Kwang soo, Kim

Contents

	Page
Model Group List	
DVR, AIO, NVR, Server NVR	3
HDDs currently on the market	
1. 3.5" HDD	
1.1 Seagate : 2 ~ 3 TB	4
1.2 Seagate : 4 ~ 6 TB	5
1.3 Seagate : 8 ~ 10 TB	5
1.4 Western Digital : 2 ~ 3 TB	6
1.5 Western Digital : 4 ~ 6 TB	6
1.6 Western Digital : 2 ~ 3 TB	7
1.7 Western Digital : 4 ~ 6 TB	7
1.8 Western Digital : 4 ~ 6 TB	8
1.9 Western Digital : 8 TB	8
1.9.1 Western Digital : 8 TB	9
1.9.2 Western Digital : 10 TB	9
1.10 Seagate & Western Digital : 1 TB	10
2. Enterprise 3.5" HDD	
2.1 Seagate : 4 ~ 10 TB	11
2.2 Western Digital : 4 ~ 10 TB	11
2.3 Seagate/Western Digital : 4 TB (512N)	11
3. 3.5" SMR HDD	
3.1 Seagate : 2T ~ 4 TB	12
4. 2.5" HDD	
4.1 Seagate	13
4.2 Western Digital	13
4.3 Samsung SSD	13
4.4 Micron SSD	13
5. Server NVR	
5.1 Seagate/Western Digital 3.5" HDD	14
5.2 Seagate/Western Digital 3.5" HDD (NON-RAID Model)	14
5.3 Discontinued HDDs List	14
Discontinued HDDs (Compatibility Tested)	
Appendix 1. Discontinued HDDs List (Seagate)	15
Appendix 2. Discontinued HDDs List (Western Digital)	19
Appendix 3. Enterprise 3.5" Discontinued HDDs List (Seagate & Western Digital)	25
Appendix 4. Discontinued Models List (Seagate)	26
Appendix 5. Discontinued Models List (Western Digital)	29

※ Model Group List

	Group	Model
DVR	HRD-1641	HRD-841, SRD-476D/476/482/494/1684/893/493, SRD-C75300/C74300/B73300
	HRD-1642	SRD-1694, SRD-1685/1694U, HRD-842
	HRD-840	HRD-E1630L, SDR-B74031/B75303/B85300, HRD-440/442/840
	HRX-1621	HRX-821
	HRX-1620	HRX-820
	HRX-421	HRX-420
	ARD-1610	HRX-1635, HRX-1634, HRX-835, HRX-1632, ARD-810, ARD-410
	HRX-435	HRX-434
NVR	HRX-435FN	HRX-435L
	KRN-1600/3200	XRN-2010A, XRN-2010 XRN-1610SA/XRN-1610A/XRN-1610S/XRN-1610 XRN-3010, XRN-3010A
	XRN-2011	XRN-2011A
	PRN-4011	
	LRN-1610S	QRN-1610S XRN-810S, ENR-1600S
	QRN-820S	QRN-420S XRN-410S QRN-810S, QRN-810, QRN-410, QRN-410S, ENR-800S, ENR-400S
	XRN-811S	
	TRM-1610S	TRM-1610M
	TRM-810S	
	TRM-410S	
	LRN-810S	LRN-410S
	QRN-1620S	
	XRN-425SFN	
	XRN-420S	QRN-430S ARN-410S
	ARN-1610S	ARN-810S
	QRN-830S	XRN-425S
	QRN-1630S	XRN-815S
	PRN-6410DB4	PRN-6410B4, PRN-3210B4 PRN-6400DB4, PRN-6400B4, PRN-3200B4 PRN-6405DB4, PRN-6405B4, PRN-3205B4 XRN-6410DB4, XRN-6410B4, XRN-3210B4
	XRN-6410RB2	XRN-3210RB2, PRN-3210B2, PRN-1610B2, PRN-1600B2, PRN-3205B2, PRN-3200B2
	XRN-1620SB1	XRN-820S
	XRN-1620B2	
	XRN-6410B2	XRN-3210B2
	XRN-6420DB4	XRN-6420B4, XRB-3220B4
Server NVR	PRP-4000H8	
	PRP-5000H16	
	PRP-3000H8	
	XAR-1600H4	
	XRP-4310DB4	
	XRP-4210B4	
	XRP-4110B2	
	XRP-4010B2	
	PRO-7410B6	
External	MGS-P4110B2	
	SRB-160S	

* Gray color is discontinued model

1. 3.5" HDD

- ※ NON-RAID mode is recommended for the HDDs listed below.
- ※ To use RAID mode for these models, Enterprise HDDs are recommended.
- ※ HDD SMART temperature is recommended to be kept below 65 °C.

STATUS

Under Test	Tested	New	Conditional	Not Supported
------------	--------	-----	-------------	---------------

1.1 Seagate : 2 ~ 3 TB

※ Caution : Check the entire model name and Part Number

4

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	2 TB	2 TB	3 TB	2 TB	2 TB	3 TB	3 TB		
	Series name	Surveillance	Sky Hawk	Sky Hawk	Sky Hawk	Sky Hawk	Sky Hawk	Sky Hawk		
	Model name	ST2000VX003	ST2000VX008	ST3000VX009	ST2000VX016	ST2000VX017	ST3000VX014	ST3000VX015		
	(Part Number)	(1HH164)	(2E3164)	(2AY10G)	(3CU102)	(3CV102)	(3CU10G)	(3CV10G)		
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s		
	Buffer	64MB	64MB	256MB	256MB	256MB	256MB	256MB		
DVR	HRD-1641	√	√	√	√	√	√	√		
	HRD-1642	√	√	√	√	√	√	√		
	HRD-840	√	√	√	√	√	√	√		
	HRX-1621	√	√	√	√	√	√	√		
	HRX-1620	√	√	√	√	√	√	√		
	HRX-421	√	√	√	√	√	√	√		
	ARD-1610	√	√	√	√	√	√	√		
	HRX-435	√	√	√	√	√	√	√		
NVR	HRX-435FN	√	√	√	√	√	√	√		
	QRN-1630S				√	√	√	√		
	XRN-2010	√	√	√	Not Supported	Not Supported	√	√		
	XRN-2011	Not tested		Not Supported	Not Supported	Not Supported	√	√		
	PRN-4011	√	√	√	√	√	Not tested	Not tested		
	LRN-1610S	√	√	√	√	√	√	√		
	QRN-820S	√	√	√	√	√	√	√		
	XRN-811S	Not tested		√	√	√	√	√		
	LRN-810S	√	√	√	√	√	√	√		
	QRN-1620S	√	√	√	√	√	√	√		
	XRN-420S	√	√	N/A	√	√	√	√		
	ARN-1610S	√	√	N/A	√	√	√			
	XRN-1620SB1	√	√	√	√	√	Not tested	√		
	XRN-1620B2	√	√	√	√	√	Not tested	√		

1. 3.5" HDD

- ※ NON-RAID mode is recommended for the HDDs listed below.
- ※ To use RAID mode for these models, Enterprise HDDs are recommended.
- ※ HDD SMART temperature is recommended to be kept below 65 °C.

Status

Under Test	Tested	New	Conditional	Not Supported
------------	--------	-----	-------------	---------------

1.2 Seagate : 4 ~ 6 TB

※ Caution : Check the entire model name and Part Number

5

HDD	NO		1	2	3	4	5	6	7	8	9
	Capacity		4 TB	4 TB	6 TB	4 TB	4 TB	6 TB	6 TB		
HDD	Series name		Surveillance	Sky Hawk	Sky Hawk	Sky Hawk	Sky Hawk	Sky Hawk	Sky Hawk		
	Model name		ST4000VX000	ST4000VX007	ST6000VX001	ST4000VX015	ST4000VX016	ST6000VX008	ST6000VX009		
	(Part Number)		(2AG166)	(2DT166)	(2BD186)	(3CU104)	(3CV104)	(2ZP186)	(2ZR186)		
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s		
	Buffer		64MB	64MB	256MB	256MB	256MB	256MB	256MB		
DVR	HRD-1641		√	√	√	√	√	√	√		
	HRD-1642		√	√		√	√	√	√		
	HRD-840		√	√	√	√	√	√	√		
	HRX-1621		√	√	√	√	√	√	√		
	HRX-1620		√	√	√	√	√	√	√		
	HRX-421		√	√	√	√	√	√	√		
	ARD-1610		√	√	√	√	√	√	√		
	HRX-435		√	√	√	√	√	√	√		
NVR	HRX-435FN		√	√		√	√				
	HRD-443					Raid1 Support	Raid1 Support				
	QRN-1630S					√	√	√	√		
	QRN-830S					√	√	√	√		
	XRN-4255FN					√	√				
	XRN-2010		√	√	√	√	√	√	√		
	XRN-2011	NON-RAID	√	√	√	√	√	√	√		
		RAID	√ (※ 1)	√ (※ 1)	√	√	√	√	√		
	PRN-4011		√	√	√	√	√	√	√		
	LRN-1610S		√	√	√	√	√	√	√		
	QRN-820S		√	√	√	√	√	√	√		
	XRN-811S		Raid1 Support	Raid1 Support	Raid1 Support	√	√	√	√		
	LRN-810S		√	√	√	√	√	√	√		
	QRN-1620S		√	√	√	√	√	√	√		
	XRN-420S		√	√	√	√	√	√	√		
	ARN-1610S		√	√	√	√	√	√	√		
	PRN-6410DB4	NON-RAID	√	√	√	√	√	√	√		
		RAID	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	XRN-6410RB2	NON-RAID	√	√	√	√	√	√	√		
		RAID	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
External Storage	XRN-1620SB1		√	√	√	√	√	√	√		
	XRN-1620B2		√	√	√	√	√	√	√		
	XRN-6410B2		√	√	√	√	√	√	√		
	SRB-160S		√	√	N/A						

1.3 Seagate : 8 ~ 10 TB

※ Caution : Check the entire model name and Part Number

5

HDD	NO		1	2	3	4	5	6	7	8	9
	Capacity		8 TB	8 TB	8 TB	10 TB	10 TB	8TB	8TB		
HDD	Series name		Sky Hawk	Sky Hawk AI	Sky Hawk AI	Sky Hawk AI	Sky Hawk AI	Sky Hawk	Sky Hawk		
	Model name		ST8000VE004	ST8000VE000	ST8000VE001	ST10000VE000	ST10000VE001	ST8000VX009	ST8000VX010		
	(Part Number)		(2M1101)	(3BZ101)	(3AU101)	(3AV101)	(3BX101)	(2ZP188)	(2ZR188)		
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s		
	Buffer		256MB	256MB	256MB	256MB	256MB	256MB	256MB		
	XRN-2010		√								
	XRN-2011	NON-RAID	√	√	√	Not Supported	Not Supported	√	√		
		RAID	Not Supported	√	√	Not Supported	Not Supported	Not Supported	Not Supported		
	PRN-4011	NON-RAID	√	√	√	Not Supported	Not Supported	√	√		
		RAID	√	√	√	Not Supported	Not Supported	√	√		
	LRN-1610S		Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported		
	QRN-820S		Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported		
	XRN-811S		Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported		
	LRN-810S		Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported		
	QRN-1620S		Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported		
	XRN-420S		Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported		
	ARN-1610S		Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported		
HDD	QRN-1630S		Not Tested	√	√	√	√	√	√		
	PRN-6410DB4	NON-RAID	√	√	√	√	√	√	√		
		RAID	Not Supported	√	√	√	√	Not Supported	Not Supported		
	XRN-6410RB2	NON-RAID	√	√	√	√	√	√	√		
		RAID	Not Supported	√	√	√	√	Not Supported	Not Supported		
	XRN-1620B2		NON-RAID	√	√	√	√	√	√		
	XRN-6410B2		NON-RAID	√	√	√	√	√	√		
	XRN-6420DB4	NON-RAID	√	√	√	√	√	√	√		
		RAID		√	√	√	√				

1. 3.5" HDD

- ※ NON-RAID mode is recommended for the HDDs listed below.
- ※ To use RAID mode for these models, Enterprise HDDs are recommended.
- ※ HDD SMART temperature is recommended to be kept below 65 °C.

1.4 Western Digital : 2 ~ 3 TB

※ Caution : Check the entire model name

6

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	2 TB	2 TB	2 TB	2 TB	3 TB	3 TB	3 TB	3 TB	
	Series name	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	
	Model name	WD20PURX-64AKYY0	WD20PURZ-74AKKY0	WD20PURZ-85AKKY0	WD20EJRX-89AKWY0	WD30PURX-64AKYY0	WD30PURZ-74AKKY0	WD30PURZ-85AKKY0	WD30EJRX-89AKWY0	
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	
DVR	HRD-1641	√	√	√	√	√	√	√	√	
	HRD-1642	√	√	√	√	√	√	√	√	
	HRD-840	√	√	√	√	√	√	√	√	
	HRX-1621	√	√	√	√	√	√	√	√	
	HRX-1620	√	√	√	√	√	√	√	√	
	HRX-421	√	√	√	√	√	√	√	√	
	ARD-1610	√	√	√	√	√	√	√	√	
	HRX-435	√	√	√	√	√	√	√	√	
	HRX-435FN	√	√	√	√	√	√	√	√	
NVR	XRN-2010	√	√	√	√	√	√	√	√	
	LRN-1610S	√	√	√	√	√	√	√	√	
	QRN-820S	√	√	√	√	√	√	√	√	
	XRN-811S	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	
	LRN-810S	√	√	√	√	√	√	√	√	
	QRN-1620S	√	√	√	√	√	√	√	√	
	XRN-420S	√	√	√	√	N/A				
	ARN-1610S	√	√	√	√	N/A				
	XRN-1620SB1	√	√	√	√	√	√	√	√	
	XRN-1620B2	√	√	√	√	√	√	√	√	

- ※ If the HDD supports the Seek Away feature, noise may occur.
- (Seek Away: A feature for recovering the HDD head from an unstable status)

1.5 Western Digital : 4 ~ 6 TB

※ Caution : Check the entire model name

6

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	4 TB	4 TB	4 TB	4 TB	6 TB	6 TB	6 TB	6 TB	
	Series name	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	
	Model name	WD40PURX-64AKYY0	WD40PURZ-74AKKY0	WD40PURZ-85AKKY0	WD40EJRX-89AKWY0	WD62PURX-64B2MY0	WD62PURZ-74B3AY0	WD62PURZ-85B3AY0	WD62EJRX-89B2YY0	
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	
DVR	HRD-1641	√	√	√	√	√	√	√	√	
	HRD-1642	√	√	√	√	√	√	√	√	
	HRD-840	√	√	√	√	√	√	√	√	
	HRX-1621	√	√	√	√	√	√	√	√	
	HRX-1620	√	√	√	√	√	√	√	√	
	HRX-421	√	√	√	√	√	√	√	√	
	ARD-1610	√	√	√	√	Not Supported	Not Supported	Not Supported	Not Supported	
	HRX-435	√	√	√	√	√	√	√	√	
	HRX-435FN	√	√	√	√	√	√	√	√	
NVR	XRN-2010	√	√	√	√	√	√	√	√	
	PRN-4011	√	√	√	√	√	√	√	√	
	LRN-1610S	√	√	√	√	√	√	√	√	
	QRN-820S	√	√	√	√	√	√	√	√	
	XRN-811S	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	
	LRN-810S	√	√	√	√	√	√	√	√	
	QRN-1620S	√	√	√	√	√	√	√	√	
	XRN-420S	√	√	√	√	√	√	√	√	
	ARN-1610S	√	√	√	√	√	√	√	√	
	XRN-1620SB1	√	√	√	√	√	√	√	√	
	XRN-1620B2	√	√	√	√	√	√	√	√	
	XRN-6410B2	√	√	√	√	√	√	√	√	
	QRN-1630S	√								
	XRN-425SFFN	√								
	QRN-830S	√								

- ※ If the HDD supports the Seek Away feature, noise may occur.
- (Seek Away: A feature for recovering the HDD head from an unstable status)

1. 3.5" HDD

- ※ NON-RAID mode is recommended for the HDDs listed below.
- ※ To use RAID mode for these models, Enterprise HDDs are recommended.
- ※ HDD SMART temperature is recommended to be kept below 65 °C.

Status

Under Test	Tested	New	Conditional	Not Supported
------------	--------	-----	-------------	---------------

1.6 Western Digital : 2 ~ 3 TB

※ Caution : Check the entire model name

7

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	2 TB	2 TB	2 TB	2 TB	2 TB	2 TB	2 TB		
	Series name	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple		
	Model name	WD22PURU-64BEJY0	WD22PURZ-74B4ZY0	WD22PURZ-85B4ZY0	WD22EJRX-89BEMY0	WD22PURU-64C5JY0	WD23PURZ-74C5HY0	WD23PURZ-85C5HY0		
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s		
	Buffer	256MB	256MB	256MB	256MB	64MB	64MB	64MB		
DVR	HRD-1641									
	HRD-1642									
	HRD-840									
	HRX-1621					√	√	√		
	HRX-1620					√	√	√		
	HRX-421					√	√	√		
	ARD-1610	√	√	√	√	√	√	√		
	HRX-435					√	√	√		
NVR	HRX-435FN					√	√	√		
	QRN-1630S	√	√	√	√	√	√	√		
	XRN-425SFN	√	√	√	√	√	√	√		
	QRN-830S	√				√	√	√		
	XRN-2010									
	LRN-1610S									
	QRN-820S	√	√	√	√	√	√	√		
	XRN-811S					√	√	√		
	LRN-810S	√	√	√	√	√	√	√		
	QRN-1620S					√	√	√		
	XRN-420S	√	√	√	√	√	√	√		
	ARN-1610S					√	√	√		
	XRN-1620SB1	√	√	√	√	√	√	√		
	XRN-1620B2	√	√	√	√	√	√	√		

※ If the HDD supports the Seek Away feature, noise may occur.

(Seek Away: A feature for recovering the HDD head from an unstable status)

1.7 Western Digital : 4 ~ 6 TB

※ Caution : Check the entire model name

7

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	4 TB	4 TB	4 TB	4 TB	6 TB	6 TB	6 TB	6 TB	
	Series name	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	
	Model name	WD42PURU-64BFGY0	WD42PURZ-74B4YY0	WD42PURZ-85B4YY0	WD42EJRX-89BFNY0	WD63PURU-64BFEY0	WD63PURZ-74B4VY0	WD63PURZ-85B4VY0	WD63EJRX-89BFMY0	
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer	256MB	256MB	256MB	256MB	256MB	256MB	256MB	256MB	
DVR	HRD-1641									
	HRD-1642									
	HRD-840									
	HRX-1621									
	HRX-1620									
	HRX-421									
	ARD-1610									
	HRX-435	√	√	√	√					
NVR	HRX-435FN	√	√	√	√					
	QRN-1630S	√				√				
	XRN-425SFN	√	√	√	√					
	QRN-830S	√	√	√	√					
	XRN-2010									
	PRN-4011									
	LRN-1610S									
	QRN-820S	√	√	√	√	√	√	√	√	
	XRN-811S		√	√			√	√		
	LRN-810S	√	√	√	√	√	√	√	√	
	QRN-1620S									
	XRN-420S	√	√	√	√	√	√	√	√	
	ARN-1610S	√				√				
	XRN-1620SB1	√	√	√	√	√	√	√	√	
	XRN-1620B2	√	√	√	√	√	√	√	√	
	XRN-6410B2	√	√	√	√	√	√	√	√	

※ If the HDD supports the Seek Away feature, noise may occur.

(Seek Away: A feature for recovering the HDD head from an unstable status)

1. 3.5" HDD

- ※ NON-RAID mode is recommended for the HDDs listed below.
- ※ To use RAID mode for these models, Enterprise HDDs are recommended.
- ※ HDD SMART temperature is recommended to be kept below 65 °C.

1.8 Western Digital : 4 ~ 6 TB

※ Caution : Check the entire model name

8

NO		1	2	3	4	5	6	7	8	9
HDD	Capacity	4T	4T	4T	6T	6T	6T			
	Series name	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple			
	Model name	WD42PURU-64C4CY0	WD43PURZ-74BWPY0	WD43PURZ-85BWPY0	WD63PURU-64C4FY0	WD64PURZ-74BWUY0	WD64PURZ-85BWUY0			
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s			
	Buffer	256MB	256MB	256MB	256MB	256MB	256MB			
	HRX-1621	√	√	√	√	√	√			
	HRX-1620	√	√	√	√	√	√			
	HRX-421	√	√	√	√	√	√			
	ARD-1610	√	√	√	√	√	√			
	HRX-435	√	√	√	√	√	√			
	HRX-435FN	√	√	√	Not Supported	Not Supported	Not Supported			
NVR	QRN-1630S	√	√	√	√	√	√			
	XRN-4255FN	√	√	√	Not Supported	Not Supported	Not Supported			
	QRN-830S	√	√	√	√	√	√			
	KRN-1600/3200	√	√	√	√	√	√			
	LRN-1610S	√	√	√	√	√	√			
	QRN-820S	√	√	√	√	√	√			
	XRN-811S	√	√	√	√	√	√			
	LRN-810S	√	√	√	√	√	√			
	QRN-1620S	√	√	√	√	√	√			
	XRN-420S	√	√	√	√	√	√			
	ARN-1610S	√	√	√	√	√	√			
	XRN-1620SB1	√	√	√	√	√	√			
	XRN-1620B2	√	√	√	√	√	√			
	※ ¹ XRN-6420DB4	NON-RAID	√	√	√	√	√			
		RAID	N/A	N/A	N/A	N/A	N/A			
	PRN-4011	NON-RAID	√	√	√	√	√			
		RAID	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported			
	PRN-6410DB4	NON-RAID	√	√	√	√	√			
		RAID	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported			
	XRN-6410RB2	NON-RAID	√	√	√	√	√			
		RAID	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported			
	XRN-1620B2	NON-RAID	√	√	√	√	√			
	XRN-6410B2	NON-RAID	√	√	√	√	√			

※ If the HDD supports the Seek Away feature, noise may occur.

(Seek Away: A feature for recovering the HDD head from an unstable status)

※¹ For XRN-6420DB4, above HDDs only can be use, produced after Jul. 15, 2023.

1. 3.5" HDD

- ※ NON-RAID mode is recommended for the HDDs listed below.
- ※ To use RAID mode for these models, Enterprise HDDs are recommended.
- ※ HDD SMART temperature is recommended to be kept below 65 °C.

Status

Under Test	Tested	New	Conditional	Not Supported
------------	--------	-----	-------------	---------------

1.9 Western Digital : 8 TB

※ Caution : Check the entire model name

9

HDD	NO		1	2	3	4	5	6	7	8	9
			8 TB	8 TB	8 TB	8 TB	8 TB	8 TB			
	Capacity		8 TB	8 TB	8 TB	8 TB	8 TB	8 TB			
	Series name		WD Purple	WD Purple	WD Purple	Purple Pro	Purple Pro	Purple Pro			
	Model name		WD82PURX-64GLVY0	WD82PURZ-85TEUY0	WD82EJRX-89AD9Y0	WD8001PURA-64B6VY0	WD8001PURP-74B6RY0	WD8001PURP-85B6RY0			
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s			
	Buffer		256MB	256MB	256MB	256MB	256MB	256MB			
NVR	QRN-1630S					√					
	ARN-1610S					Not Supported					
	XRN-2010		√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)			
	XRN-2011	NON-RAID	√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)			
		RAID	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported			
	PRN-4011	NON-RAID	√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)			
		RAID	√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)	√ (※ 1)			
	PRN-6410DB4	NON-RAID	√	√	√	√	√	√			
		RAID	√	√	√	√	√	√			
	XRN-6410RB2	NON-RAID	√	√	√	√	√	√			
		RAID	√	√	√	√	√	√			
	XRN-1620B2	NON-RAID	√	√	√	√	√	√			
		RAID	√	√	√	√	√	√			
	XRN-6410B2	NON-RAID	√	√	√	√	√	√			
		RAID	√	√	√	√	√	√			
	XRN-6420DB4	NON-RAID	√	√	√	√	√	√			
		RAID	√	√	√	√	√	√			

※ 1. HDD SMART temperature is recommended to be kept below 65 °C.

1.9.1 Western Digital : 8 TB

※ Caution : Check the entire model name

9

HDD	NO		1	2	3	4	5	6	7	8	9
			8 TB	8 TB							
	Capacity		8 TB	8 TB							
	Series name		WD Purple	WD Purple							
	Model name		WD84PURZ-74B2YY0	WD84PURZ-85B2YY0							
	Interface		SATA 6Gb/s	SATA 6Gb/s							
	Buffer		64MB	64MB							
NVR	XRN-2011		√	√							

1.9.2 Western Digital : 10 TB

※ Caution : Check the entire model name

9

HDD	NO		1	2	3	4	5	6	7	8	9
			10 TB	10 TB	10 TB	10 TB	10 TB	10 TB			
	Capacity		10 TB	10 TB	10 TB	10 TB	10 TB	10 TB			
	Series name		WD Purple	WD Purple	WD Purple	Purple Pro	Purple Pro	Purple Pro			
	Model name		WD102PURX - 64WCLY0	WD102PURZ - 85BXPY0	WD102PURX - 74WCLY0	WD101PURA - 64B5KY0	WD101PURP - 74B5BY0	WD101PURP - 85B5BY0			
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s			
	Buffer		256MB	256MB	256MB	256MB	256MB	256MB			
NVR	QRN-1630S					√					
	ARN-1610S					N/A					
	PRN-6410DB4	NON-RAID	√	√	√	√	√	√			
		RAID	√	√	√	√	√	√			
	XRN-6410RB2	NON-RAID	√	√	√	√	√	√			
		RAID	√	√	√	√	√	√			
	XRN-1620B2	NON-RAID	√	√	√	√	√	√			
		RAID	Not Supported	Not Supported	Not Supported	√	√	√			
	XRN-6410B2		Not Supported	Not Supported	Not Supported	√	√	√			

※ 1. HDD SMART temperature is recommended to be kept below 65 °C.

1. 3.5" HDD

- ※ NON-RAID mode is recommended for the HDDs listed below.
- ※ To use RAID mode for these models, Enterprise HDDs are recommended.
- ※ HDD SMART temperature is recommended to be kept below 65 °C.

Status	Under Test	Tested	New	Conditional	Not Supported
--------	------------	--------	-----	-------------	---------------

1.10 Seagate & Western Digital : 1 TB ※ Caution : Check the entire model name 10

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	1 TB	1 TB		1 TB	1 TB	1 TB	1 TB		
	Series name	Surveillance	Sky Hawk		WD Purple	WD Purple	WD Purple	WD Purple		
	Model name	ST1000VX001	ST1000VX005		WD10PURX-64E5EY0	WD10PURX-64KC9Y0	WD10PURZ-85U8XY0	WD10EJRX-89N74Y0		
	(Part Number)	(1Z4102)	(2EZ102)		-	-	-	-		
	Interface	SATA 6Gb/s	SATA 6Gb/s		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s		
	Buffer	64MB	64MB		64MB	64MB	64MB	64MB		
DVR	HRD-1641	√	√		√	√	√	√		
	HRD-1642	√	√		√	√	√	√		
	HRD-840	√	√		√	√	√	√		
	HRD-E830L	Not tested			√	√	√	√		
	HRD-E430L	Not tested			√	√	√	√		
	HRD-443	Not tested			√	√	√	√		
NVR	XRN-2010	√	√		√	√	√	√		
	XRN-2011	√	√		√	√	√	√		
	PRN-4011	Not tested			√	√	√	√		
	LRN-1610S	√	√		√	√	√	√		
	QRN-820S	√	√		√	√	√	√		
	XRN-811S	Not tested			√	√	√	√		

2. Enterprise 3.5" HDD

※ To use RAID mode for these models, Enterprise HDDs are recommended.

※ HDD SMART temperature is recommended to be kept below 60 °C.

2.1 Seagate : 4 ~ 10 TB

※ Caution : Check the entire model name and Part Number

11

	NO		1	2	3	4	5	6	7	8	9
			4 TB	6 TB	8 TB	10 TB	4 TB	6 TB	8 TB	10TB	
HDD	Capacity		4 TB	6 TB	8 TB	10 TB	4 TB	6 TB	8 TB	10TB	
	Series name		EXOS Enterprise	EXOS Enterprise	EXOS Enterprise	EXOS Enterprise	EXOS Enterprise	EXOS Enterprise	EXOS Enterprise	EXOS Enterprise	
	Model name		ST4000NM002A	ST6000NM021A	ST8000NM000A	ST10000NM001G	ST4000NM024B	ST6000NM019B	ST8000NM017B	ST10000NM017B	
	PN(Part Number)		2HZ101-002	2R7101-002	2KE101-002	2MW103-002	2TF103	2TG103	2TJ103		
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
NVR	Buffer		256MB	256MB	256MB	256MB	256MB	256MB	256MB	256MB	
	XRN-2011	RAID	Not Supported	Not Supported	Not Supported	N/A	√		Not Supported	Not Supported	
	PRN-4011	RAID	√	√	√			√	√	Not Supported	
	PRN-6410DB4	RAID	√	√	√	√	√	√	√	√	
	XRN-6410RB2	RAID	√	√	√	√	√	√	√	√	
	XRN-6410B2	NON-RAID	N/A			√	√	√	√	√	
	XRN-6420DB4	RAID					√	√	√	√	
External Storage	XRP-4010B2	RAID	N/A			√		√			
	SRB-160S		√	√	√	N/A					

2.2 Western Digital : 4 ~ 10 TB

11

	NO		1	2	3	4	5	6	7	8	9
			4 TB	6 TB	8 TB		10 TB				
HDD	Capacity		4 TB	6 TB	8 TB		10 TB				
	Series name		UltraStar	UltraStar	UltraStar		UltraStar				
	Model name		HUS726T4TALE6L4	HUS726T6TALE6L4	HUS728T8TALE6L4		WUS721010ALE6L4				
	P/N(Part Number)		0B36040	0B36039	0B36404		0B42266				
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s		SATA 6Gb/s				
DVR	Buffer		256MB	256MB	256MB		256MB				
	HRX-1621			√							
NVR	QRN-1630			√							
	XRN-2011		√ (※ 1)	√ (※ 1)	Not Supported	N/A					
	PRN-4011		√	√	√						
	PRN-6410DB4	RAID	√	√	√	√					
	XRN-6410RB2	RAID	√	√	√	√					
	XRN-6420DB4	RAID		√	√	√					
	XRP-4010B2	RAID		√							
External Storage	SRB-160S		√	√	√		N/A				

※ 1. HDD SMART temperature is recommended to be kept below 60 °C.

2.3 Seagate/Western Digital : 4 TB (512N)

11

	NO		1	2	3	4	5	6	7	8	9
			4 TB								
HDD	Capacity		4 TB								
	Series name		EXOS Enterprise								
	Model name		ST4000NM000A								
	P/N(Part Number)		2HZ100-002								
	Interface		SATA 6Gb/s								
NVR	Buffer		256MB								
	XRN-2011	RAID	√								

3. 3.5" SMR HDD

- ※ NON-RAID mode is recommended for the HDDs listed below.
- ※ To use RAID mode for these models, Enterprise HDDs are recommended.
- ※ HDD SMART temperature is recommended to be kept below 65 °C.

Status	Under Test	Tested	New	Conditional	Not Supported
--------	------------	--------	-----	-------------	---------------

3.1 Seagate : 2T ~ 4 TB 12

HDD	NO	1	2	3	4	5	6	7	8	9
	Capacity	2 TB	2 TB	4 TB	4 TB					
	Series name	Sky Hawk	Sky Hawk	Sky Hawk	Sky Hawk					
	Model name	ST2000VX012	ST2000VX015	ST4000VX005	ST4000VX013					
	(Part Number)	(2LY102)	(2XG102)	(2LY104)	(2XG104)					
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s					
NVR	QRN-820S	√	√	√	√					
	LRN-810S	√	√	√	√					

※ SMR (Shingled Magnetic Recording)

4. 2.5" HDD

Status

Under Test	Tested	New	Conditional	Not Supported
------------	--------	-----	-------------	---------------

4.1 Seagate

5

13

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	1 TB	2 TB			5				
	Series name	Momentus	Spinpoint M9T			5				
	Model name	ST1000LM024	ST2000LM003			5				
	Interface	SATA 3Gb/s	SATA 6Gb/s			5				
	Buffer	16MB	32MB			5				
NVR	SRM-872	√	√	(Discontinued Model)		5				
	TRM-1610S									

4.2 Western Digital

13

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	500 GB	500 GB	1 TB	4TB					
	Series name	AV-25	AV-25	AV-25	SA-500					
	Model name	WD5000LUCT-63C26Y0	WD5000LUCT-63RC2Y0	WD10JUCT-63CYN0	WDS400T1R0A-68A4W0					
	Interface	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 6Gb/s					
	Buffer	16MB	16MB	16MB	560MB					
NVR	SRM-872	√	√	√	(Discontinued Model)					
	TRM-1610S		√	√	√					
	TRM-810S		√	√	√					
	TRM-410S		√	√	√					

4.3 Samsung SSD

13

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	1 TB	2 TB	512 GB	1 TB	2 TB	1 TB	2 TB		
	Series name	SSD 850 PRO	SSD 850 PRO	SSD 860 PRO	SSD 860 PRO	SSD 860 PRO	870EVO	870EVO		
	Model name	MZ-7KE1T0	MZ-7KE2T0	MZ-76P512	MZ-76P1T0	MZ-76P2T0	MZ-77E1T0	MZ-77E2T0		
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s		
	Buffer	-	-	-	-	-				
NVR	SRM-872	(Discontinued Model)								
	TRM-1610S	√	√	√	√	√		√		
	TRM-810S			√	√	√		√		
	TRM-410S			√	√	√	√	√		

4.4 Micron SSD

13

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	256 GB								
	Series name	M500IT								
	Model name	MTFDDAK256MB D								
	Interface	SATA 6Gb/s								
	Buffer	-								
NVR	TRM-1610S	√								
	TRM-810S	√								
	TRM-410S	√								

5. Server NVR

Status

Under Test	Tested	New	Conditional	Not Supported
------------	--------	-----	-------------	---------------

5.1 Seagate/Western Digital 3.5" HDD

14

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	8 TB	8 TB	6 TB	6TB	6 TB	8 TB	8TB	10TB	10 TB
	Series name	WD Purple	WD Purple	EXOS Enterprise	EXOS Enterprise	Ultrastar	EXOS Enterprise	Ultrastar	EXOS Enterprise	UltraStar
	Model name	WD82PURX-64GVLY0	WD82PURX-85TEUY0	ST6000NM021A	ST6000NM019B	6T(HUS726T6TALE6L4)	ST8000NM000A	HUS728T8TALE6L4	ST10000NM001G	WUS721010ALE6L4
	Part Number	-	-	2R7101-002	2TG103-001	0B36039	2KE101-002	0B36404	2MW103-002	0B42266
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s
	Buffer	256MB	256MB	256MB	256MB	256MB	256MB	256MB	256MB	256MB
Server NVR	PRP-4000H8			✓					✓	✓ (※ 2)
	PRP-5000H16			✓					✓	✓ (※ 2)
	PRP-3000H8	✓	✓							
	XRP-4310DB4			✓	✓		✓	✓	✓	✓
	XRP-4210B4			✓	✓		✓	✓	✓	✓
	XRP-4110B2				✓	✓		✓		✓
	XRP-4010B2				✓	✓		✓		✓
	PRO-7410B6									
HDD	NO	10	11	12	12					
	Capacity	12 TB	12 TB	16TB	18TB					
	Series name	Seagate Exos X18	Seagate Exos X18	Seagate Exos X18	UltraStar					
	Model name	ST12000NM000J	ST12000NM004J	ST16000NM000J	WUH721818AL5204					
	Part Number	2TY103	2TY203-002	2TW103-004	0F38353					
	Interface	SATA 6Gb/s	SAS 12Gb/s	SATA 6Gb/s	SAS 12Gb/s					
Server NVR	Buffer	256MB	256MB	256MB	512MB					
	PRP-4000H8	✓(※ 2)								
	PRP-5000H16	✓(※ 2)								
	PRP-3000H8									
	XRP-4310DB4	✓		✓						
	XRP-4210B4	✓		✓						
	XRP-4110B2	✓								
	XRP-4010B2	✓								
	PRO-7410B6		✓							
	PRO-7310B6				✓					
	PRO-7510B4		✓							
	MGS-P4110B2	✓								

※ 1. HDD SMART temperature is recommended to be kept below 65 °C.

※ 2. - WUS721010AL 10TB HDD can only be used with PRP-4000H8 RAID driver version SR4.2 or higher.

- Please checking the driver version before use HDD.

You can find [the document on how to check the driver version on the product homepage](#).

5.2 Seagate/Western Digital 3.5" HDD (NON-RAID Model)

14

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	4 TB	4 TB	6 TB						
	Series name	Surveillance	WD Purple	WD Purple						
	Model name	ST4000VX000	WD40PURX-64N96Y0	WD60PURX-64WY0Y1						
	Part Number	(2AG166)	-	-						
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s						
	Buffer	64MB	64MB	64MB						
Server NVR	XRP-1600H4	✓	✓	✓						

※ 1. HDD SMART temperature is recommended to be kept below 65 °C.

5.3 Discontinued HDDs List

14

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	10 TB	6 TB							
	Series name	Sky Hawk	Surveillance							
	Model name	ST10000VX0004	ST6000VX0003							
	Part Number	(1ZE101)	(1ZH110)							
	Interface	SATA 6Gb/s	SATA 6Gb/s							
	Buffer	256MB	128MB							
Server NVR	PRP-4000H8	✓	✓							
	PRP-5000H16	✓	✓							
	PRP-3000H8		✓							

Appendix 1. Discontinued HDDs List (Seagate)

Status

EOL

Conditional

Not Supported

A1.1 Seagate (250 ~ 500 GB) ※ The Video 3.5 line of HDDs has been discontinued, thus moved to the Discontinued Models list.

15

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	250 GB	250 GB	500 GB	500 GB	500 GB	500 GB			
	Series name	SV35.5 Series	Video 3.5	Pipeline HD	SV35 Series	SV35.5 Series	Video 3.5			
	Model name (Part Number)	ST3250311SV	ST3250312CS	ST3500312CS	ST3500411SV	ST3500410SV	ST3500414CS (9GW142)			
	Interface	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s			
	Buffer	8MB	8MB	8MB	16MB	16MB	16MB			
DVR	SRD-1670D	√	√	v1.06(1)	v1.06(1)	√				
	SRD-1630D	√	√	v1.06(1)	v1.06(1)	√				
	SRD-470D		√	v1.06(1)	v1.06(1)	√				
	SRD-1652D		v1.01(1)	v1.01(1)	v1.01(1)	√				
	SRD-440	√	√	√	√	√				
	SRD-1640		√		√					
	SRD-442		√		√					
	SRD-1673D		√				√			
	SRD-1654D		√				√			
	SRD-473D		√							
	SRD-443						√			
	SRD-1680D									
	SRD-1642						√			
	SRD-842						√			
	SRD-1676D						√			
	SRD-876D						√			
	SRD-476D						√			
	SRD-445						√			
	SRD-482						√			
	SRD-1694						√			
	SRD-894									
	SRD-494									
	SRD-1694U						√			
	HRD-E1630L									
	HRD-E830L									
	HRD-E430L									
	HRD-1642						√			
	HRD-842									
	HRD-442									
	HRD-443									
AIO	SDR-5102						√			
	SDR-4102						√			
	SDR-3102						√			
	SDR-C5300						√			
	SDR-B3300						√			
	SDR-C75300						√			
	SDR-C74300									
	SDR-B73300									
	SDR-B74031						√			
	SNR-D5401						√			
NVR	SRN-470D		√	√	√		√			
	SRN-1670D		√	√	√		√			
	SRN-1000						√			
	SRN-4000						Not Supported			
	SRN-472S						√			
	SRN-1673S						√			
	SRN-873S						√			
	SRN-473S						√			
	XRN-2010									
	XRN-2011									
	XRN-1610S									
	PRN-4011									
	XRN-3010						√			
	XRN-810S						Not Supported			
	XRN-410S						Not Supported			
External Storage	SVS-5E				√		√			

Appendix 1. Discontinued HDDs List (Seagate)

Status

EOL

Conditional

Not Supported

A1.2 Seagate (1 TB) ※ The Video 3.5 line of HDDs has been discontinued, thus moved to the Discontinued Models list.

	NO		1	2	3	4	5	6	7	8	9
	Capacity		1 TB	1 TB	1 TB	1 TB	1 TB	1 TB	1 TB	1 TB	1 TB
HDD	Series name		Pipeline HD	Pipeline HD.2	SV35.5 Series	SV35 Series	Video 3.5	Constellation ES7200	SV35.3 Series	Constellation ES	Sky Hawk
	Model name (Part Number)		ST31000322CS	ST31000424CS	ST31000525SV	ST31000526SV	ST1000VM002 (1ET162)	ST31000524NS	ST31000340SV	ST1000NM0011	ST1000VX005 (2E3162)
	Interface		SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 6Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 6Gb/s	SATA 6Gb/s
	Buffer		8MB	16MB	32MB	32MB	64MB	32MB	32MB	64MB	64MB
DVR	SRD-1670D		v1.06(↑)	√	√	v1.06(↑)		√	√		
	SRD-1630D		v1.06(↑)	√	√	v1.06(↑)		√	√		
	SRD-470D		v1.06(↑)	√	√	v1.06(↑)		√	√		
	SRD-1652D		v1.01(↑)	v1.01(↑)		v1.01(↑)					
	SRD-440		√	√	√	√			√		
	SRD-1640			√		√					
	SRD-442			√		√					
	SRD-1673D						√				
	SRD-1654D						√				
	SRD-473D										
	SRD-443						√				√
	SRD-1680D										
	SRD-1642						√				√
	SRD-842						√				√
	SRD-1676D						√				√
	SRD-876D						√				
	SRD-476D						√				
	SRD-445						√				
	SRD-482						√				
	SRD-1694						√				√
	SRD-894						√				
	SRD-494						√				
	SRD-1694U						√				
	HRD-E1630L										√
	HRD-E830L										√
	HRD-E430L										√
	HRD-1642										
	HRD-842										
	HRD-442										
	HRD-443										
AIO	SDR-5102						√				
	SDR-4102						√				
	SDR-3102						√				
	SDR-C5300						√				
	SDR-B3300						√				
	SDR-C75300						√				
	SDR-C74300										
	SDR-B73300										
	SDR-B74031						√				
	SNR-D5401										
NVR	SNR-73200										
	SRN-470D		√	√		√					
	SRN-1670D		√	√		√	√				√
	SRN-1000			√			√				√
	SRN-4000						√			√	√
	SRN-472S						√				√
	SRN-1673S						√				√
	SRN-873S						√				√
	SRN-473S						√				√
	XRN-2010						√				
	XRN-2011										
	XRN-1610S										
	PRN-4011						√				√
	XRN-3010						√				
	XRN-810S						√				√
	XRN-410S						√				√
External Storage	SVS-5E			√			√		√		

Appendix 1. Discontinued HDDs List (Seagate)

Status

EOL

Conditional

Not Supported

A1.3 Seagate (2 ~ 4 TB) ※ The Video 3.5 line of HDDs has been discontinued, thus moved to the Discontinued Models list.

17

HDD	NO		1	2	3	4	5	6	7	8	1
	Capacity		1 TB	2 TB	2 TB	2 TB	2 TB	3 TB	3 TB	3 TB	4 TB
	Series name		SV35.6 Series	SV35 Series	Pipeline HD	Video 3.5	SV35.6 Series	Video 3.5	SV35.6 Series	Surveillance	Video 3.5
	Model name (Part Number)		ST1000VX000 (1E5162)	ST2000VX002	ST2000VM002	ST2000VM003 (1E1164)	ST2000VX000 (1E5164)	ST3000VM002 (1E1166)	ST3000VX000 (1E5166)	ST3000VX002 (1F416R)	ST4000VM000 (1F3168)
	Interface		SATA 6Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s
	Buffer		64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB
DVR	SRD-1670D			v1.06(†)	v1.06(†)						
	SRD-1630D			v1.06(†)	v1.06(†)						
	SRD-470D			v1.06(†)	v1.06(†)						
	SRD-1652D			v1.01(†)	v1.01(†)						
	SRD-440			√	√						
	SRD-1640			√	√						
	SRD-442			√	√						
	SRD-1673D			√	√	√		√			√
	SRD-1654D				√	√		√			√
	SRD-473D				√						
	SRD-443		√			√	√	√	√	√	√
	SRD-1680D										
	SRD-1642		√			√	√	√	√	√	√
	SRD-842		√			√	√	√	√	√	√
	SRD-1676D		√			√	√	√	√	√	√
	SRD-876D					√		√			√
	SRD-476D					√		√			√
	SRD-445					√		√			√
	SRD-482					√		√			√
	SRD-1694					√	√	√	√	√	√
	SRD-894		√			√	√		√		√
	SRD-494					√	√		√	√	√
	SRD-1694U					√	√	√	√	√	
	HRD-E1630L								√	√	
	HRD-E830L						√			√	
	HRD-E430L									√	
	HRD-1642										
	HRD-842							√			
	HRD-442										
	HRD-443							√		√	
AIO	SDR-5102					√		√			√
	SDR-4102					√		√			√
	SDR-3102					√		√			√
	SDR-C5300					√		√			√
	SDR-B3300					√		√			√
	SDR-C75300					√		√			√
	SDR-C74300					√		√			√
	SDR-B73300					√		√			
	SDR-B74031					√		√			√
	SNR-D5401										
NVR	SRN-470D			√	√						
	SRN-1670D		√	√	√	√	√	√	√	√	√
	SRN-1000		√	√	√	√	√	√	√	√	√
	SRN-4000		Not Supported			√	Not Supported	√	Not Supported	√	√
	SRN-472S		√			√	√	√	√	√	√
	SRN-1673S		√			√	√	√	√	√	√
	SRN-873S		√			√	√	√	√	√	√
	SRN-473S		√			√	√	√	√	√	√
	XRN-2010		√			√	√	√	√	√	
	XRN-2011					√	√	√		√	√
	XRN-1610S		√			√	√	√	√	√	√
	PRN-4011					√		√		√	√
	XRN-3010		√			√	√	√	√	√	√
	XRN-810S					√	√	√	√	√	√
	XRN-410S					√	√	√	√	√	√
	XRN-811S		√			√		√			√
External Storage	SVS-5E		√			√	√	√	√	√	

Appendix 1. Discontinued HDDs List (Seagate)

Status

EOL

Conditional

Not Supported

A1.4 Seagate (3 ~ 8 TB)

18

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	4 TB	5 TB	6 TB	3 TB	3 TB	6 TB	6 TB	8 TB	8 TB
	Series name	Surveillance	Surveillance	Surveillance	Surveillance	Sky Hawk	Surveillance	Sky Hawk	Surveillance	Sky Hawk
	Model name (Part Number)	ST4000VX000 (1F4168)	ST5000VX0001 (1SH17X)	ST6000VX0001 (1SH17Z)	ST3000VX006 (1HH166)	ST3000VX010 (2E3166)	ST6000VX0003 (1ZH110)	ST6000VX0023 (2EF110)	ST8000VX0002 (1Z6112)	ST8000VX0022 (2EJ112)
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s
	Buffer	64MB	128MB	128MB	64MB	64MB	256MB	256MB	256MB	256MB
DVR	SRD-443	√		√						
	SRD-1642	√	√	√						
	SRD-842	√	√	√						
	SRD-1676D	√	√	√						
	SRD-1694	√	√	√						
	SRD-894	√		√						
	HRD-E1630L	√		√						
	HRD-E830L	√								
	HRD-E430L	√		√	√	√	√	√		
	HRD-443	√			√	√	√	√		
	HRD-1641				√	√	√	√		
	HRD-1642				√	√	√	√		
	HRD-840				√	√	√	√		
	HRX-1621				√	√	√	√		
NVR	HRX-1620				√	√	√	√		
	HRX-421				√	√	√	√		
	SRN-D5401	√								
	SRN-1670D	√	√	√						
	SRN-1000	√	v1.52(↑)	v1.52(↑)						
	SRN-4000	√	v2.10(↑)	v2.10(↑)						
	SRN-472S	√	√	√						
	SRN-1673S	v1.02(↑)	√	√						
	SRN-873S	√	√	√						
	XRN-2010	√	√	√	√	√	√	√	√	√
	XRN-2011	√			Not Supported	Not Supported	√	√	√	√
	PRN-4011	√			√	√	√	√	√	√
	XRN-810S	√	Not Supported	Not Supported			Not Supported	Not Supported		
	XRN-410S	√	Not Supported	Not Supported			Not Supported	Not Supported		
	XRN-811S	√	Not Supported	Not Supported			Not Supported	Not Supported		
External Storage	LRN-1610S				√	√	Not Supported	Not Supported		
	QRN-820S				√	√	Not Supported	Not Supported		
	SVS-5E	√								
	SRB-160S	√		√			√	√	√	√

Appendix 2. Discontinued HDDs List (Western Digital)

Status

EOL	Conditional	Not Supported
-----	-------------	---------------

A2.1 Western Digital (250 ~ 1 TB) ※ The AV-GP line of HDDs has been discontinued, thus moved to the Discontinued Models list.

19

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	500 GB	500 GB	500 GB	750 GB	1 TB	1 TB	1 TB	1 TB	1 TB
	Series name	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	RE
	Model name	WD5000AVVS-63ZW80	WD5000AVDS	WD5000AVDS-63U7B1	WD7500AVVS	WD10EVS-63E1B1	WD10EUS	WD10EURX-63FH1Y0	WD10EURX-63C57Y0	WD1003FBYX
	Interface	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 3Gb/s
	Buffer	16MB	32MB	32MB	16MB	8MB	64MB	64MB	64MB	64MB
DVR	SRD-1670D	√			√	√	v1.06(†)	Not Supported	Not Supported	
	SRD-1630D	√			√	√	v1.06(†)	Not Supported	Not Supported	
	SRD-470D	√			√	√	v1.06(†)	v1.06(†)	√	
	SRD-1652D						v1.01(†)	Not Supported	Not Supported	
	SRD-440						√	√	√	
	SRD-1640						√	√	√	
	SRD-442						√	√	√	
	SRD-1673D			√				√	√	
	SRD-1654D			√				√	√	
	SRD-473D							√	√	
	SRD-1680D								√	
	SRD-443			√					√	
	SRD-1642			√				√	√	
	SRD-842			√				√	√	
	SRD-1676D			√					√	
	SRD-876D			√					√	
	SRD-1673DU								√	
	SRD-476D			√					√	
	SRD-445			√					√	
	SRD-482			√					√	
	SRD-480D							√		
	SRD-1694			√						
	SRD-894									
	SRD-494									
	SRD-1694U									
	HRD-E1630L									
	HRD-E830L									
	HRD-E430L									
AIO	SDR-5200								√	
	SDR-5102			√				√	√	
	SDR-4102			√					√	
	SDR-3102			√					√	
	SDR-C5300			√					√	
	SDR-B3300			√					√	
	SDR-C75300			√						
	SDR-C74300									
	SDR-B73300									
	SDR-B74031									
NVR	SRN-470D							v1.10(†)	√	
	SRN-1670D			√				√	√	
	SRN-1000			√				√	√	
	SRN-4000			Not Supported					Not Supported	
	SRN-472S			√					√	
	SRN-1673S			√					√	
	SRN-873S			√					√	
	SRN-473S			√					√	
	XRN-2010									
	XRN-2011									
	XRN-1610S									
	PRN-4011									
	XRN-3010									
	XRN-810S									
	XRN-410S									
	XRN-811S			√	√	√				
Storage	SVS-5E	√	√	√		√	√	√		
	SVS-5R									√

Appendix 2. Discontinued HDDs List (Western Digital)

Status

EOL

Conditional

Not Supported

A2.2 Western Digital (1 ~ 2 TB) ※ The AV-GP line of HDDs has been discontinued, thus moved to the Discontinued Models list.

20

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	1 TB	1 TB	2 TB	2 TB	2 TB	2 TB	2 TB	2 TB	
	Series name	AV	WD Purple	AV-GP	AV-GP	AV-GP	AV-GP	WD RE	AV-GP	
	Model name	WD10EURX-64RPPY0	WD10PURX-64D85Y0	WD20EVD5	WD20EURS-63S48Y0	WD20EURS-63SPKY0	WD20EURX-64HYZY0	WD2003FYYS	WD20EURX-63T0FY0	
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 6Gb/s	SATA 3Gb/s	SATA 6Gb/s	
	Buffer	64MB	64MB	32MB	64MB	64MB	64MB	64MB	64MB	
DVR	SRD-1670D			v1.06(1)	v1.06(1)	Not Supported	Not Supported			
	SRD-1630D			v1.06(1)	v1.06(1)	Not Supported	Not Supported			
	SRD-470D			v1.06(1)	v1.06(1)	v1.06(1)	V1.34(1)			
	SRD-1652D			v1.01(1)	v1.01(1)	Not Supported	Not Supported			
	SRD-440				✓	✓	✓			
	SRD-1640				✓	✓	✓			
	SRD-442				✓	✓	✓			
	SRD-1673D	✓	✓		✓	✓	✓		✓	
	SRD-1654D	✓	✓		✓	✓	✓		✓	
	SRD-473D				✓	✓	✓			
	SRD-1680D						✓			
	SRD-443	✓	✓				✓		✓	
	SRD-1642	✓	✓		✓		✓		✓	
	SRD-842	✓	✓		✓		✓		✓	
	SRD-1676D	✓	✓				✓		✓	
	SRD-876D	✓	✓				✓		✓	
	SRD-1673DU						✓			
	SRD-476D	✓	✓				✓		✓	
	SRD-445	✓	✓				✓		✓	
	SRD-482	✓	✓				✓		✓	
	SRD-480D	✓	✓		✓					
	SRD-1694		✓						✓	
	SRD-894									
	SRD-494									
	SRD-1694U									
	HRD-E1630L									
	HRD-E830L									
	HRD-E430L									
AIO	SDR-5200						✓			
	SDR-5102	✓	✓		✓		✓		✓	
	SDR-4102	✓	✓				✓		✓	
	SDR-3102	✓	✓				✓		✓	
	SDR-C5300	✓	✓				✓		✓	
	SDR-B3300	✓	✓				✓		✓	
	SDR-C75300	✓	✓						✓	
	SDR-C74300	✓	✓							
	SDR-B73300		✓							
	SDR-B74031	✓								
NVR	SNR-D5401									
	SNR-73200									
	SRN-470D				✓	✓	✓			
	SRN-1670D	✓	✓		✓	✓	✓		✓	
	SRN-1000	✓	✓		✓	✓	✓		✓	
	SRN-4000	✓	✓				✓		Not Supported	
	SRN-472S	✓	✓				✓		✓	
	SRN-1673S	✓	✓				✓		✓	
	SRN-873S	✓	✓				✓		✓	
	SRN-473S	✓	✓				✓		✓	
	XRN-2010									
	XRN-2011									
	XRN-1610S		✓							
Storage	PRN-4011									
	XRN-3010									
	XRN-810S		✓						✓	
	XRN-410S		✓						✓	
	SVS-5E	✓	✓	✓	✓				✓	
	SVS-5R							✓		

Appendix 2. Discontinued HDDs List (Western Digital)

Status

EOL

Conditional

Not Supported

A2.3 Western Digital (3 TB) ※ The AV-GP line of HDDs has been discontinued, thus moved to the Discontinued Models list.

21

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		3 TB	3 TB	3 TB	3 TB					
	Series name		AV-GP	AV-GP	AV-GP	AV-GP					
	Model name		WD30EURS-63SPKY0	WD30EURS-63R8UY0	WD30EURX-64HYZY0	WD30EURX-63T0FY0					
	Interface		SATA 3Gb/s	SATA 3Gb/s	SATA 6Gb/s	SATA 6Gb/s					
	Buffer		64MB	64MB	64MB	64MB					
DVR	SRD-1670D		Not Supported	v1.06(†)	Not Supported						
	SRD-1630D		Not Supported	v1.06(†)	Not Supported						
	SRD-470D		v1.06(†)	v1.06(†)	V1.34(†)						
	SRD-1652D		Not Supported	v1.01(†)	Not Supported						
	SRD-440		V1.30(†)	V1.30(†)	V1.30(†)						
	SRD-1640		V1.30(†)	V1.30(†)	V1.30(†)						
	SRD-442		V1.30(†)	V1.30(†)	V1.30(†)						
	SRD-1673D		√	√	√	√					
	SRD-1654D		√	√	√	√					
	SRD-473D		√	√	√						
	SRD-1680D				√						
	SRD-443				√	√					
	SRD-1642				√	√					
	SRD-842				√	√					
	SRD-1676D				√	√					
	SRD-876D				√	√					
	SRD-1673DU				√						
	SRD-476D				√	√					
	SRD-445				√	√					
	SRD-482				√	√					
	SRD-480D										
	SRD-1694					√					
	SRD-894										
	SRD-494										
	SRD-1694U										
	HRD-E1630L										
	HRD-E830L										
	HRD-E430L										
AIO	SDR-5200				√						
	SDR-5102				√	√					
	SDR-4102				√	√					
	SDR-3102				√	√					
	SDR-C5300				√	√					
	SDR-B3300				√	√					
	SDR-C75300										
	SDR-C74300										
	SDR-B73300										
	SDR-B74031										
NVR	SNR-D5401										
	SNR-73200										
	SRN-470D		√	√	√						
	SRN-1670D		√	√	√	√					
	SRN-1000		√	√	√	√					
	SRN-4000				√	Not Supported					
	SRN-472S				√	√					
	SRN-1673S				√	√					
	SRN-873S				√	√					
	SRN-473S				√	√					
	XRN-2010										
	XRN-2011										
	XRN-1610S										
	PRN-4011					√					
Storage	SVS-5E			√							
	SVS-5R										

Appendix 2. Discontinued HDDs List (Western Digital)

Status

EOL

Conditional

Not Supported

A2.4 Western Digital (4 ~ 6 TB)

22

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		4 TB	4 TB	4 TB	5 TB	5 TB	6 TB	6 TB	6 TB	
	Series name		AV	WD Purple	WD Purple NV	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple NV	
	Model name		WD40EURX-64WRWY0	WD40PURX-64GVNY0	WD4NPURX-64TPFY0	WD50PURX-64LZMY0	WD50PURX-64T0ZY0	WD60PURX-64LZMY0	WD60PURX-64T0ZY0	WD6NPURX-64JCSY0	
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer		64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	
DVR	SRD-1670D										
	SRD-1630D										
	SRD-470D										
	SRD-440										
	SRD-1640										
	SRD-442										
	SRD-1673D		√	√		√	√	√			
	SRD-1654D		√	√		√	√	√			
	SRD-473D										
	SRD-1680D										
	SRD-443		√	√	√	√		√	√		
	SRD-1642		√	√	√	√	√	√	√	√	
	SRD-842		√	√	√	√	√	√	√	√	
	SRD-1676D		√	√	√	√	√	√	√	√	
	SRD-876D		√	√		√	√	√			
	SRD-1673DU										
	SRD-476D		√	√		√	√	√			
	SRD-445		√	√		√		√			
	SRD-482		√	√		√		√			
	SRD-480D										
	SRD-1694		√	√	√		√	√	√	√	
	SRD-894			√			√	√	√		
	SRD-494			√	√			√	√	√	
	SRD-1694U			√	√		√	√	√	√	
	HRD-E1630L				√				√	√	
	HRD-E830L			√				√			
	HRD-E430L			√	√						
	HRD-443				√				√	√	
AIO	SDR-5200										
	SDR-5102		√	√		√	√	√			
	SDR-4102		√	√		√	√	√			
	SDR-3102		√	√		√	√	√			
	SDR-C5300		√	√		√	√	√			
	SDR-B3300			√		√		√			
	SDR-C75300		√	√		√	√	√			
	SDR-C74300			√		√	√	√			
	SDR-B73300			√		√		√			
	SDR-B74031			√			√	√			
NVR	SNR-D5401			√			√				
	SNR-73200										
	SRN-470D										
	SRN-1670D		√	√	√	√	√	√	√	√	
	SRN-1000		√	√	√	v1.52(†)	v1.52(†)	v1.52(†)	v1.52(†)	v1.52(†)	
	SRN-4000		√	√	v2.10(†)	v2.10(†)	v2.10(†)	v2.10(†)	v2.10(†)		
	SRN-472S		√	√	√	√	√	√	√		
	SRN-1673S		√	√	√	√		√	√		
	SRN-873S		√	√	√	√	√	√	√		
	SRN-473S		√	√	√	√		√	√		
	XRN-2010				√	√		√	√	√	
	XRN-2011			√	√			√	√	√	
	XRN-1610S			√	√	√		√	√	√	
	PRN-4011			√	√		√	√	√	√	
	XRN-3010		√	√	√	√	√	√	√	√	
	XRN-810S		√	√	√		√		√	√	
	XRN-410S		√	√	√		√		√	√	
	XRN-811S				√				√		
Storage	SVS-5E				√	√		√			
	SVS-5R								√		

Appendix 2. Discontinued HDDs List (Western Digital)

Status

EOL	Conditional	Not Supported
-----	-------------	---------------

A2.5 Western Digital (2 ~ 3 TB)

23

HDD	NO	1	2	3	4	5	6	7	8	9
	Capacity	2 TB	2 TB	2 TB	2 TB	3 TB	3 TB	3 TB	3 TB	
	Series name	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	
	Model name	WD20PURX-64P6ZY0	WD20PURX-64PFUY0	WD20PURZ-85GU6Y0	WD20EJRX-89G3VY0	WD30PURX-64P6ZY0	WD30PURX-64PFUY0	WD30PURZ-85GU6Y0	WD30EJRX-89G3VY0	
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	
DVR	HRD-1641	√	√	√	√	√	√	√	√	
	HRD-1642	√	√	√	√	√	√	√	√	
	HRD-840	√	√	√	√	√	√	√	√	
	HRD-E830L	√	√	√	√	Not tested				
	HRD-E430L	√	√	√	√	√	√	√	√	
	HRD-443	√	√	√	√	Not tested				
	HRX-1621	√	√	√	√	√	√	√	√	
	HRX-1620	√	√	√	√	√	√	√	√	
	HRX-421	√	√	√	√	√	√	√	√	
NVR	XRN-2010	√	√	√	√	√	√	√	√	
	XRN-2011	√	√	√	√	√	√	√	√	
	PRN-4011	√	√	√	√	√	√	√	√	
	LRN-1610S	√	√	√	√	√	√	√	√	
	QRN-820S	√	√	√	√	√	√	√	√	
	XRN-811S	√	√	√	√	√	√	√	√	
	LRN-810S	√	√	√	√	√	√	√	√	
	QRN-1620S	√	√	√	√	√	√	√	√	

A2.6 Western Digital (4 ~ 6 TB)

23

HDD	NO	1	2	3	4	5	6	7	8	9
	Capacity	4 TB	4 TB	4 TB	4 TB	6 TB	6 TB	6 TB	6 TB	
	Series name	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	
	Model name	WD40PURX-64NZ6Y0	WD40PURX-64N96Y0	WD40PURZ-85TDDY0	WD40EJRX-89T1XY0	WD60PURX-64T0ZY1	WD60PURX-64WY0Y1	WD60PURZ-85ZUFY1	WD60EJRX-89MP9Y1	
	Interface	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	
DVR	HRD-1641	√	√	√	√	√	√	√	√	
	HRD-1642	√	√	√	√	√	√	√	√	
	HRD-840	√	√	√	√	√	√	√	√	
	HRD-E830L	√	√	√	√	Not tested				
	HRD-E430L	√	√	√	√	√	√	√	√	
	HRD-443	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Not tested				
	HRX-1621	√	√	√	√	√	√	√	√	
	HRX-1620	√	√	√	√	√	√	√	√	
	HRX-421	√	√	√	√	√	√	√	√	
NVR	XRN-2010	√	√	√	√	√	√	√	√	
	XRN-2011	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	
	PRN-4011	√	√	√	√	√	√	√	√	
	LRN-1610S	√	√	√	√	√	√	√	√	
	QRN-820S	√	√	√	√	√	√	√	√	
	XRN-811S	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	
	LRN-810S	√	√	√	√	√	√	√	√	
	QRN-1620S	√	√	√	√	√	√	√	√	
External Storage	SRB-160S	√	√	√	√	Not Supported				

Appendix 2. Discontinued HDDs List (Western Digital)

Status	EOL	Conditional	Not Supported
--------	-----	-------------	---------------

A2.7 Western Digital (8 TB)											24
HDD	NO		1	2	3	4	5	6	7	8	9
	Capacity		8 TB	8 TB	8 TB	8 TB	8 TB	8 TB	8 TB		
	Series name		WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple		
	Model name		WD80PUZX-64NEAY0	WD80PURX-64WS3Y0	WD80PURZ-85YNPY0	WD80EJRX-89TA5Y0	WD81PURX-64U9SY0	WD81PURZ-85LWMMY0	WD81EJRX-89DBHY0		
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s		
	Buffer		128MB	128MB	128MB	128MB	256MB	256MB	256MB		
NVR	XRN-2010		√	√	√	√	√ (※ 1)	√ (※ 1)	√ (※ 1)		
	XRN-2011		√	√	√	√	Not Supported	Not Supported	Not Supported		
	PRN-4011		√	√	√	√	√ (※ 1)	√ (※ 1)	√ (※ 1)		
External Storage	SRB-160S		√	√	√	√	√	√	√		

※ 1. HDD SMART temperature is recommended to be kept below 65 °C.

Appendix 3. Enterprise 3.5" Discontinued HDDs List (Seagate & Western Digital)

Status	EOL	Conditional	Not Supported
--------	-----	-------------	---------------

※ To use RAID mode for these models, Enterprise HDDs are recommended.

3.1 Seagate : 1 ~ 8 TB

25

HDD	NO		1	2	3	4	5	6	7	8	9
	Capacity		1 TB	2 TB	3 TB	4 TB	5 TB	4 TB	6 TB	8 TB	
	Series name		Constellation ES.3	Constellation ES.3	Constellation ES.3	Constellation ES.3	Enterprise Capacity 3.5	Enterprise Capacity 3.5	Enterprise Capacity 3.5	Enterprise Capacity 3.5	
	Model name		ST1000NM0033	ST2000NM0033	ST3000NM0033	ST4000NM0033	ST5000NM0084	ST4000NM0035	ST6000NM0115	ST8000NM0055	
	Part Number		-	-	-	-	-	-	1YZ110-002	1RM112-002	
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer		128MB	128MB	128MB	128MB	128MB	128MB	256MB	256MB	
NVR	SRN-4000		√	√	√	v2.10(†)	v2.10(†)	Not tested	v2.10(†)	Not Supported	
	XRN-2011		√					Not tested	√	Not Supported	
	PRN-4011		√		√			√	√	√	
External Storage	SVS-5R		√		√	√					
	SRB-160S				√	√		√	√	√	

3.3 Western Digital : 1 ~ 3 TB

25

HDD	NO		1	2	3	4	5	6	7	8	9
	Capacity		1 TB	1 TB	1 TB	2 TB	2 TB	3 TB	3 TB	1 TB	2 TB
	Series name		RE	SE	SE	RE	RE	RE	RE	WD Gold	WD Gold
	Model name		WD1003FBYZ-010FB0	WD1002F9YZ-09H1JL0	WD1002F9YZ-09H1JL1	WD2000FYYZ-01UL1B1	WD2000FYYZ-01UL1B2	WD3000FYYZ-01UL1B1	WD3000FYYZ-01UL1B2	WD1005FBYZ-01YCB2	WD2005FBYZ-01YCB2
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s
	Buffer		64MB	128MB	128MB	64MB	64MB	64MB	64MB	128MB	128MB
NVR	SRN-4000		√	√	√	√	√	√	√	√	√
	XRN-2011										√
	PRN-4011		√	√	√					√	√
External Storage	SVS-5R		√	√	√	√	√	√	√		

3.4 Western Digital : 4 ~ 8 TB

25

HDD	NO		1	2	3	4	5	6	7	8	9
	Capacity		4 TB	8 TB	4 TB	6 TB	4 TB	6 TB	8 TB		
	Series name		RE	WD Gold	WD Gold	WD Gold	UltraStar	UltraStar	UltraStar		
	Model name		WD4000FYYZ-01UL1B2	WD8002FRYZ-01FF2B0	WD4002FRYZ-01B7CB0	WD6002FRYZ-01WD5B0	HUS726T4TALA6L4	HUS726T6TALE6L4	HUS728T8TALE6L4		
	Part Number		-	-	-	-	0B35950	0B36039	0B36404		
	Firmware		-	-	-	-	40H	40H	410		
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s		
NVR	Buffer		64MB	128MB	128MB	128MB	256MB	256MB	256MB		
	SRN-4000		v2.10(†)	Not Supported	v2.10(†)	v2.10(†)	√	√	Not Supported		
	XRN-2011				√	√	√ (※ 1)	√ (※ 1)	Not Supported		
	XRN-6420DB4						√				
	PRN-4011		√	√	√	√	√	√	√		
External Storage	XRN-6410B2							√	√		
	SVS-5R		√								
	SRB-160S			√		√					

※ 1. HDD SMART temperature is recommended to be kept below 60 °C.

Appendix 4. Discontinued Models List (Seagate)

Status

EOL	Conditional	Not Supported
-----	-------------	---------------

A4.1 Seagate (250 ~ 750 GB)

26

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	250 GB	250 GB	250 GB	500 GB	500 GB	500 GB	500 GB	500 GB	750 GB
	Series name	SV35.3 Series	SV35.5 Series	Pipeline HD.2	SV35 Series	SV35.3 Series	SV35.5 Series	Pipeline HD	Pipeline HD.2	SV35.3 Series
	Model name	ST3250310SV	ST3250311SV	ST3250312CS	ST3500411SV	ST3500320SV	ST3500410SV	ST3500312CS	ST3500414CS	ST3750330SV
	(Part Number)	-	-	-	-	-	-	-	(9GW142)	-
	Interface	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s
	Buffer	8MB	8MB	16MB	16MB	32MB	16MB	8MB	16MB	32MB
DVR	SHR-6.../7.../8...	√	√	√		√	√		√	√
	SHR-6040/6042		√	√			√		√	√
	SVR-1670	√	√	√		√	√		√	√
	SVR-3200/480	√				√				√
	SVR-1645/1660		√	√			√		√	
	SVR-1680									
	SVR-960/945		√	√			√		√	
	SRD-1670D								√	
	SRD-1630D								√	
	SRD-1652D									
	SRD-852D								v1.01(†)	
	SRD-1640/840								√	
	SRD-1680D								√	
	SRD-880D								√	
	SRD-470D								√	
	SRD-440								√	
	SRD-473D								√	
	SRD-1673DU								√	
	SRD-442								√	
AIO	SDR-5200								√	
NVR	SNR-6400/3200			√	√			√	√	
	SRN-6450/3250			√	√			√	√	
	SRN-470D								√	

A4.2 Seagate : 1 TB

26

	NO	1	2	3	4	5	6	7	8	9
HDD	Capacity	1 TB	1 TB	1 TB	1 TB	1 TB	1 TB	1 TB	1 TB	1 TB
	Series name	Pipeline HD	Pipeline HD.2	SV35.3 Series	SV35.5 Series	SV35 Series	Video 3.5	SV35.6 Series	Surveillance	Sky Hawk
	Model name	ST31000322CS	ST31000424CS	ST31000340SV	ST31000525SV	ST31000526SV	ST1000VM002	ST1000VX000	ST1000VX001	ST1000VX005
	(Part Number)	-	-	-	-	-	(1ET162)	(1ES162)	(1HH162)	(2E3162)
	Interface	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s
	Buffer	8MB	16MB	32MB	32MB	32MB	64MB	64MB	64MB	64MB
DVR	SHR-6.../7.../8...		√	√	√					
	SHR-6040/6042		√	√	√					
	SVR-1670		√	√	√					
	SVR-3200/480			√						
	SVR-1645/1660		√		√					
	SVR-1680									
	SVR-960/945		√		√					
	SRD-1670D						v1.06(†)	v1.06(†)	v1.06(†)	
	SRD-1630D						v1.06(†)	v1.06(†)	v1.06(†)	
	SRD-1652D									
	SRD-852D						v1.01(†)	v1.01(†)	v1.01(†)	
	SRD-1640/840						√	√	√	
	SRD-1680D						√	√	√	
	SRD-880D									
	SRD-470D						v1.34(†)	v1.34(†)	v1.34(†)	
	SRD-440						√	√	√	
	SRD-473D						√	√	√	
	SRD-1673DU						√	√	√	
	SRD-442						√	√	√	√
	SRD-443						√	√	√	√
AIO	SDR-5200						√	√	√	√
NVR	SNR-6400/3200	√	√			√		V2.24(†)		
	SRN-6450/3250	√	√			√		V2.24(†)		
	SRN-470D						v2.00(†)	v2.00(†)	v2.00(†)	
	SRN-1670D						√	√	√	√
	SRN-1000						√	√	√	√
	SRN-472S						√	√	√	√

Appendix 4. Discontinued Models List (Seagate)

Status

EOL

Conditional

Not Supported

A4.2 Seagate : (1 ~ 3 TB)

27

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		1 TB	1 TB	2 TB	2 TB					
	Series name		Surveillance	Sky Hawk	Surveillance	Sky Hawk					
	Model name		ST1000VX001	ST1000VX005	ST2000VX003	ST2000VX008					
	(Part Number)		(1Z4102)	(2EZ102)	(1HH164)	(2E3164)					
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s					
	Buffer		64MB	64MB	64MB	64MB					
DVR	SRD-442		√	√	√	√					
	SRD-443		√	√	√	√					
	SRD-1642										
	SRD-456		√	√	√	√					
	SDR-5102										
	/C5300/B3300										
	SRD-842										
	SRD-445		√	√	√	√					
	SDR-4102										
	SRD-1673D										
	/1673/1653D		√	√	√	√					
	/873D,										
AIO	SRD-1654D/854D										
	SRD-1676D/676										
	SRD-1656D/		√	√	√	√					
	1656/876D/876/85										
	SRD-894				√	√					
	HRD-E830L				√	√					
	HRD-E430L				√	√					
	SDR-5200		√	√	√	√					
	SNR-D5401		√	√	√	√					
	SRN-1670D		√	√	√	√					
	SRN-1000		√	√	√	√					
	SRN-472S		√	√	√	√					
NVR	SRK-3030S		√	√	√	√					
	/3040S										
	SRN-4000		√	√	√	√					
	SRN-1673S		√	√	√	√					
	SRN-873S/473S		√	√	√	√					
Storage	SVS-5E				√	√					

A4.3 Seagate (2 ~ 3 TB)

27

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		2 TB	2 TB	2 TB	2 TB	2 TB	3 TB	3 TB	3 TB	3 TB
	Series name		Pipeline HD	SV35 Series	Video 3.5	SV35.6 Series	Surveillance	SV35.6 Series	Video 3.5	Surveillance	Surveillance
	Model name		ST2000VM002	ST2000VX002	ST2000VM003	ST2000VX000	ST2000VX003	ST3000VX000	ST3000VM002	ST3000VX002	ST3000VX006
	(Part Number)		-	-	(1ET164)	(1ES164)	(1HH164)	(1ES166)	(1ET166)	(1F416R)	(1HH166)
	Interface		SATA 3Gb/s	SATA 3Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s
	Buffer		64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB
DVR	SRD-1670D				v1.06(↑)	v1.06(↑)	v1.06(↑)	v1.06(↑)	v1.06(↑)	v1.06(↑)	v1.06(↑)
	SRD-1630D				v1.06(↑)	v1.06(↑)	v1.06(↑)	v1.06(↑)	v1.06(↑)	v1.06(↑)	v1.06(↑)
	SRD-1652D										
	SRD-852D				v1.01(↑)	v1.01(↑)	v1.01(↑)	v1.01(↑)	v1.01(↑)	v1.01(↑)	v1.01(↑)
	SRD-1640/840				√	√	√	v1.30(↑)	v1.30(↑)	v1.30(↑)	v1.30(↑)
	SRD-1680D				√	√	√	√	√	√	√
	SRD-880D										
	SRD-470D				v1.34(↑)	v1.34(↑)	v1.34(↑)	v1.34(↑)	v1.34(↑)	v1.34(↑)	v1.34(↑)
	SRD-440				√	√	√	v1.30(↑)	v1.30(↑)	v1.30(↑)	√
	SRD-473D				√	√	√	√	√	√	√
	SRD-1673DU				√	√	√	√	√	√	√
	SRD-442		√	√	√	√	√	v1.30(↑)	v1.30(↑)	v1.30(↑)	v1.30(↑)
AIO	SRD-443				√	√	√	√	√	√	√
	SDR-5200		√	√	√	√	√	√	√	√	√
	SNR-6400/3200		√	V2.24(↑)							
	SRN-6450/3250		√	V2.24(↑)							
	SRN-470D				v2.00(↑)	v2.00(↑)	v2.00(↑)	v2.00(↑)	v2.00(↑)	v2.00(↑)	v2.00(↑)
	SRN-1670D				√	√	√	√	√	√	√
	SRN-1000				√	√	√	√	√	√	√
	SRN-472S				√	√	√	√	√	√	√
Storage	SVS-5E						√				√

Appendix 4. Discontinued Models List (Seagate)

Status

EOL

Conditional

Not Supported

A4.3 Seagate (3 ~ 8 TB)

28

	NO		1	2	3	4	5	6	7	8	9
	Capacity		3 TB	3 TB	4 TB	4 TB	6 TB	6 TB	8 TB	3 TB	6 TB
	Series name		Surveillance	Sky Hawk	Surveillance	Sky Hawk	Surveillance	Sky Hawk	Sky Hawk	Sky Hawk	Sky Hawk

HDD	Model name		ST3000VX006	ST3000VX010	ST4000VX000	ST4000VX007	ST6000VX0003	ST6000VX0023	ST8000VX0022	ST3000VX009	ST6000VX001
	(Part Number)		(1HH166)	(2E3166)	(2AG166)	(2DT166)	(1ZH110)	(2EF110)	(2EJ112)	(2AY10G)	(2BD186)
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s
	Buffer		64MB	64MB	64MB	64MB	128MB	128MB	256MB	256MB	256MB
DVR	SRD-442		v1.30(↑)	v1.30(↑)	v1.30(↑)	v1.30(↑)			Not Supported		
	SRD-443		✓	✓	✓	✓	✓	✓	Not Supported		
	SRD-1642										
	SRD-456		✓	✓	✓	✓	✓	✓	Not Supported		
	SDR-5102										
	/C5300/B3300										
	SRD-842										
	SRD-445		✓	✓	✓	✓	✓	✓	Not Supported		
	SDR-4102										
	SRD-1673D										
AIO	/1673/1653D		✓	✓	✓	✓	✓	✓	Not Supported		
	/873D										
	SRD-1654D/854D										
	SRD-1676D/676										
	SRD-1656D/		✓	✓	✓	✓	✓	✓	Not Supported		
	1656/876D/876/85										
NVR	SRD-894		✓	✓	✓	✓	✓	✓	Not Supported		
	HRD-E830L				✓	✓				✓	✓
	HRD-E430L									✓	✓
	HRD-443										Raid1 Support
AIO	SDR-5200		✓	✓	✓	✓	✓	✓	Not Supported		
	SNR-D5401				✓	✓	✓	✓	Not Supported		
NVR	SRN-1670D		✓	✓	✓	✓	✓	✓	Not Supported		
	SRN-1000		✓	✓	✓	✓	v1.52(↑)	v1.52(↑)	Not Supported		
	SRN-472S		✓	✓	✓	✓	✓	✓	Not Supported		
	SRK-3030S		✓	✓					Not Supported		
	/3040S										
	SRN-4000		✓	✓	✓	✓	v2.10(↑)	v2.10(↑)	Not Supported		
	SRN-1673S		✓	✓	v1.02(↑)	v1.02(↑)	✓	✓	Not Supported	Not Supported	Not Supported
Storage	SRN-873S/473S		✓	✓	✓	✓	✓	✓	Not Supported	✓	✓
	SVS-5E		✓	✓	✓	✓					

A4.4 Seagate (4 ~ 8 TB)

28

HDD	NO		1	2	3	4	5	6	7	8	9
	Capacity		4 TB	4 TB	5 TB	6 TB	8 TB	8 TB			
	Series name		Video 3.5	Surveillance	Surveillance	Surveillance	Surveillance	Sky Hawk			
	Model name		ST4000VM000	ST4000VX000	ST5000VX0001	ST6000VX0001	ST8000VX0002	ST8000VX0022			
	(Part Number)		(1F3168)	(1F4168)	(1SH17X)	(1SH17Z)	(1Z6112)	(2EJ112)			
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s			
	Buffer		64MB	64MB	128MB	128MB	256MB	256MB			
DVR	SRD-1670D		v1.06(↑)	v1.06(↑)	v1.06(↑)	v1.06(↑)	Not Supported	Not Supported			
	SRD-1630D		v1.06(↑)	v1.06(↑)	v1.06(↑)	v1.06(↑)	Not Supported	Not Supported			
	SRD-1652D		v1.06(↑)	v1.06(↑)	v1.06(↑)	v1.06(↑)	Not Supported	Not Supported			
	SRD-852D										
	SRD-1640/840		v1.01(↑)	v1.01(↑)			Not Supported	Not Supported			
	SRD-1680D		✓	✓	✓	✓	Not Supported	Not Supported			
	SRD-880D										
	SRD-470D		✓	✓	v1.34(↑)	v1.34(↑)	Not Supported	Not Supported			
	SRD-440		v1.30(↑)	v1.30(↑)		Not Supported	Not Supported	Not Supported			
	SRD-473D		✓	✓		✓	Not Supported	Not Supported			
AIO	SRD-1673DU		✓	✓	✓	✓	Not Supported	Not Supported			
	SRD-442		v1.30(↑)	v1.30(↑)	v1.30(↑)	v1.30(↑)	Not Supported	Not Supported			
	SRD-443		✓	✓		✓	Not Supported	Not Supported			
	SDR-5200		✓	✓			Not Supported	Not Supported			
NVR	SRN-6400/3200						Not Supported	Not Supported			
	SRN-6450/3250						Not Supported	Not Supported			
	SRN-470D		v2.00(↑)	v2.00(↑)	v2.00(↑)	v2.00(↑)	Not Supported	Not Supported			
	SRN-1670D		✓	✓	✓	✓	Not Supported	Not Supported			
	SRN-1000		✓	✓	v1.52(↑)	v1.52(↑)	Not Supported	Not Supported			
Storage	SRN-472S		✓	✓	✓	✓	Not Supported	Not Supported			
	SVS-5E										

Appendix 5. Discontinued Models List (Western Digital)

Status

EOL	Conditional	Not Supported
-----	-------------	---------------

A5.1 Western Digital (250 ~ 750 GB)

29

HDD	NO		1	2	3	4	5	6	7	8	9
	Capacity		250 GB	320 GB	500 GB	500 GB	500 GB	500 GB	500 GB	500 GB	750 GB
	Series name		AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP	AV-GP
	Model name		WD2500AVVS	WD3200AVVS-63L2B0	WD5000AVVS	WD5000AVVS-63H0B1	WD5000AVVS-63M8B0	WD5000AVVS-63ZW0	WD5000AVDS-63U7B1	WD5000AVVS-63M8B0	WD7500AVVS
	Interface		SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s

	Buffer		8MB	8MB	8MB	8MB	8MB	16MB	32MB	8MB	8MB
DVR	SHR-6.../7.../8...				√						√
	SHR-6040/6042			√			√				
	SVR-1670		√	√		√		√	√		
	SVR-3200/480		√	√		√		√	√		
	SVR-1645/1660										
	SRD-1670D								√		
	SRD-1630D								√		
	SRD-1652D								√		
	SRD-852D										
	SRD-1640/840								√		
	SRD-1680D								√		
	SRD-880D										
	SRD-470D								√		
	SRD-440								√		
	SRD-473D								√		
	SRD-1673DU								√		
	SRD-442								√		
AIO	SDR-5200								√		
NVR	SNR-6400/3200						√				
	SRN-6450/3250						√				
	SRN-470D								√		

A5.2 Western Digital (1 TB)

29

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		1 TB	1 TB	1 TB	1 TB	1 TB	1 TB	1 TB		
	Series name		AV-GP	AV-GP	AV-GP	AV-GP	AV	WD Purple	WD Purple		
	Model name		WD10EVVS	WD10EVVS-63E1B1	WD10EVCS	WD10EURS	WD10EURX-64RPPY0	WD10PURX-64D85Y0	WD10PURX-64KC9Y0		
	Interface		SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 3Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s		
	Buffer		8MB	8MB	8MB	8MB	64MB	64MB	64MB		
DVR	SHR-6.../7.../8...		√								
	SHR-6040/6042										
	SVR-1670			√	√	√					
	SVR-3200/480			√	√	√					
	SVR-1645/1660					√					
	SRD-1670D						Not Supported	Not Supported	Not Supported		
	SRD-1630D						Not Supported	Not Supported	Not Supported		
	SRD-1652D						Not Supported	Not Supported	Not Supported		
	SRD-852D										
	SRD-1640/840						√	√	√		
	SRD-1680D						√	√	√		
	SRD-880D										
	SRD-470D						v1.34(†)	v1.34(†)	v1.34(†)		
	SRD-440						√	√			
	SRD-473D						√	√			
	SRD-1673DU						√	√	√		
	SRD-442						√	√	√		
	SRD-443						√	√	√		
AIO	SDR-5200						√	√	√		
NVR	SNR-6400/3200										
	SRN-6450/3250										
	SRN-470D						√	√	√		
	SRN-1670D						√	√	√		
	SRN-1000						√	√	√		
	SRN-472S						√	√	√		
Storage	SVS-5E								√		

Appendix 5. Discontinued Models List (Western Digital)

Status

EOL

Conditional

Not Supported

A5.3 Western Digital (2 ~ 4 TB)

30

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		2 TB	2 TB	2 TB	3 TB	3 TB	4 TB	4 TB	4 TB	4 TB
	Series name		AV-GP	AV-GP	WD Purple	AV-GP	WD Purple	AV	WD Purple	WD Purple NV	WD Purple
	Model name		WD20EURS-63S48Y0	WD20EURX-63T0FY0	WD20PURX-64PFUY0	WD30EURX-63T0FY0	WD30PURX-64PFUY0	WD40EURX-64WRWY0	WD40PURX-64GVNY0	WD4NPURX-64TPFY0	WD40PURX-64N96Y0
	Interface		SATA 3Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s
	Buffer		64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB
	SHR-6040/6042										
DVR	SVR-1670		√								
	SVR-3200/480		√								
	SVR-1645/1660		√								
	SRD-1670D			Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
	SRD-1630D			Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
	SRD-1652D			Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
	SRD-852D			Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
	SRD-1640/840			√	√	v1.30(↑)	v1.30(↑)	v1.30(↑)	v1.30(↑)		
	SRD-1680D			√	√	√	√	√	√	√	
	SRD-880D			√	√	√	√	√	√		
	SRD-470D			v1.34(↑)	v1.34(↑)	v1.34(↑)	v1.34(↑)	v1.34(↑)	v1.34(↑)		
	SRD-440			√	√	v1.30(↑)	v1.30(↑)	v1.30(↑)	v1.30(↑)		
	SRD-473D			√	√	√	√	√	√		
	SRD-1673DU			√	√	√	√	√	√	√	
	SRD-442			√	√	v1.30(↑)	v1.30(↑)	v1.30(↑)	v1.30(↑)		
	SRD-443			√	√	√	√	√	√	√	√
AIO	SDR-5200			√	√	√	√	√	√	√	
NVR	SNR-6400/3200		√								
	SRN-6450/3250		√								
	SRN-470D			√	√	√	√	√	√		
	SRN-1670D			√	√	√	√	√	√	√	√
	SRN-1000			√	√	√	√	√	√	√	√
	SRN-472S			√	√	√	√	√	√	√	√
Storage	SVS-5E				√		√				

A5.4 Western Digital (5 ~ 8 TB)

30

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		5 TB	5 TB	6 TB	6 TB	6 TB	6 TB	8 TB		
	Series name		WD Purple	WD Purple	WD Purple	WD Purple	WD Purple NV	WD Purple	WD Purple		
	Model name		WD50PURX-64LZMY0	WD50PURX-64T0ZY0	WD60PURX-64LZMY0	WD60PURX-64T0ZY0	WD6NPURX-64JC5Y0	WD60PURX-64WY0Y1	WD80PUZX-64NEAY0		
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s		
	Buffer		64MB	64MB	64MB	64MB	64MB	64MB	128MB		
DVR	SRD-1670D		Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported		
	SRD-1630D		Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported		
	SRD-1652D		Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported		
	SRD-852D		Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported		
	SRD-1640/840		v1.30(↑)	v1.30(↑)	v1.30(↑)	v1.30(↑)			Not Supported		
	SRD-1680D		√	√	√	√	√		Not Supported		
	SRD-880D								Not Supported		
	SRD-470D		v1.34(↑)		v1.34(↑)				Not Supported		
	SRD-440		v1.30(↑)		v1.30(↑)				Not Supported		
	SRD-473D		√		√				Not Supported		
	SRD-1673DU		√	√	√	√	√		Not Supported		
	SRD-442		v1.30(↑)	v1.30(↑)	v1.30(↑)				Not Supported		
	SRD-443		√		√	√			Not Supported		
AIO	SDR-5200		√	√	√	√	√		Not Supported		
NVR	SNR-6400/3200								Not Supported		
	SRN-6450/3250								Not Supported		
	SRN-470D		√	√	√	√			Not Supported		
	SRN-1670D		√	√	√	√	√	√	Not Supported		
	SRN-1000		v1.52(↑)	v1.52(↑)	v1.52(↑)	v1.52(↑)	v1.52(↑)		Not Supported		
	SRN-472S		√	√	√	√	√	√	Not Supported		

Appendix 5. Discontinued Models List (Western Digital)

Status

EOL	Conditional	Not Supported
-----	-------------	---------------

A5.5 Western Digital (1 ~ 2 TB)

31

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		1 TB	1 TB	1 TB	1 TB	2 TB	2 TB	2 TB	2 TB	
	Series name		WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	
	Model name		WD10PURX-64E5EY0	WD10PURX-64KC9Y0	WD10PURZ-85U8XY0	WD10EJRX-89N74Y0	WD20PURX-64P6ZY0	WD20PURX-64PFUY0	WD20PURZ-85GU6Y0	WD20EJRX-89G3VY0	
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer		64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	
DVR	SRD-1642		√	√	√	√	√	√	√	√	
	SRD-456		√	√	√	√	√	√	√	√	
	SDR-5102		√	√	√	√	√	√	√	√	
	/C5300/B3300		√	√	√	√	√	√	√	√	
	SRD-842		√	√	√	√	√	√	√	√	
AIO	SRD-445		√	√	√	√	√	√	√	√	
	SDR-4102		√	√	√	√	√	√	√	√	
	SRD-1673D		√	√	√	√	√	√	√	√	
	/1673/1653D		√	√	√	√	√	√	√	√	
	/873D,		√	√	√	√	√	√	√	√	
NVR	SRD-1654D/854D		√	√	√	√	√	√	√	√	
	SRD-1676D/676		√	√	√	√	√	√	√	√	
	SRD-1656D/		√	√	√	√	√	√	√	√	
	1656/876D/876/85		√	√	√	√	√	√	√	√	
	SRD-894		√	√	√	√	√	√	√	√	
NVR	SNR-D5401		√	√	√	√	√	√	√	√	
	SRK-3030S		√	√	√	√	√	√	√	√	
	/3040S		√	√	√	√	√	√	√	√	
	SRN-4000		√	√	√	√	√	√	√	√	
	SRN-1673S		√	√	√	√	√	√	√	√	
NVR	SRN-873S/473S		√	√	√	√	√	√	√	√	

A5.6 Western Digital (3 ~ 4 TB)

31

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		3 TB	3 TB	3 TB	3 TB	4 TB	4 TB	4 TB	4 TB	
	Series name		WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	
	Model name		WD30PURX-64P6ZY0	WD30PURX-64PFUY0	WD30PURZ-85GU6Y0	WD30EJRX-89G3VY0	WD40PURX-64NZ6Y0	WD40PURX-64N96Y0	WD40PURZ-85TTDY0	WD40EJRX-89T1XY0	
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer		64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	
DVR	SRD-1642		√	√	√	√	√	√	√	√	
	SRD-456		√	√	√	√	√	√	√	√	
	SDR-5102		√	√	√	√	√	√	√	√	
	/C5300/B3300		√	√	√	√	√	√	√	√	
	SRD-842		√	√	√	√	√	√	√	√	
AIO	SRD-445		√	√	√	√	√	√	√	√	
	SDR-4102		√	√	√	√	√	√	√	√	
	SRD-1673D		√	√	√	√	√	√	√	√	
	/1673/1653D		√	√	√	√	√	√	√	√	
	/873D,		√	√	√	√	√	√	√	√	
NVR	SRD-1654D/854D		√	√	√	√	√	√	√	√	
	SRD-1676D/676		√	√	√	√	√	√	√	√	
	SRD-1656D/		√	√	√	√	√	√	√	√	
	1656/876D/876/85		√	√	√	√	√	√	√	√	
	SRD-894		√	√	√	√	√	√	√	√	
NVR	SNR-D5401		√	√	√	√	√	√	√	√	
	SRK-3030S		√	√	√	√	√	√	√	√	
	/3040S		√	√	√	√	√	√	√	√	
	SRN-4000		√	√	√	√	v2.10(†)	v2.10(†)	v2.10(†)	v2.10(†)	
	SRN-1673S		√	√	√	√	√	√	√	√	
NVR	SRN-873S/473S		√	√	√	√	√	√	√	√	

Appendix 5. Discontinued Models List (Western Digital)

Status EOL Conditional Not Supported

A5.7 Western Digital (6 ~ 8 TB)

32

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		6 TB	6 TB	6 TB	6 TB	8 TB	8 TB	8 TB	8 TB	
	Series name		WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	
	Model name		WD60PURX-64T0ZY1	WD60PURX-64WY0Y1	WD60PURZ-85ZUFY1	WD60EJRX-89MP9Y1	WD80PUZX-64NEAY0	WD80PURX-64WS3Y0	WD80PURZ-85YNPY0	WD80EJRX-89TA5Y0	
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer		64MB	64MB	64MB	64MB	128MB	128MB	128MB	128MB	
DVR	SRD-1642						Not Supported	Not Supported	Not Supported	Not Supported	
	SRD-456		√	√	√	√	Not Supported	Not Supported	Not Supported	Not Supported	
	SDR-5102						Not Supported	Not Supported	Not Supported	Not Supported	
	/C5300/B3300						Not Supported	Not Supported	Not Supported	Not Supported	
	SRD-842						Not Supported	Not Supported	Not Supported	Not Supported	
DVR	SRD-445		√	√	√	√	Not Supported	Not Supported	Not Supported	Not Supported	
	SDR-4102						Not Supported	Not Supported	Not Supported	Not Supported	
	SRD-1673D						Not Supported	Not Supported	Not Supported	Not Supported	
	/1673/1653D		√	√	√	√	Not Supported	Not Supported	Not Supported	Not Supported	
	/873D,						Not Supported	Not Supported	Not Supported	Not Supported	
DVR	SRD-1654D/854D						Not Supported	Not Supported	Not Supported	Not Supported	
	SRD-1676D/676						Not Supported	Not Supported	Not Supported	Not Supported	
	SRD-1656D/		√	√	√	√	Not Supported	Not Supported	Not Supported	Not Supported	
	1656/876D/876/85						Not Supported	Not Supported	Not Supported	Not Supported	
	SRD-894		√	√	√	√	Not Supported	Not Supported	Not Supported	Not Supported	
AIO	SNR-D5401						Not Supported	Not Supported	Not Supported	Not Supported	
NVR	SRK-3030S		√	√	√	√	Not Supported	Not Supported	Not Supported	Not Supported	
	/3040S						Not Supported	Not Supported	Not Supported	Not Supported	
	SRN-4000		v2.10(1)	v2.10(1)	v2.10(1)	v2.10(1)	Not Supported	Not Supported	Not Supported	Not Supported	
	SRN-1673S		√	√	√	√	Not Supported	Not Supported	Not Supported	Not Supported	
NVR	SRN-873S/473S		√	√	√	√	Not Supported	Not Supported	Not Supported	Not Supported	

A5.8 Western Digital (2 ~ 3 TB)

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		2 TB	2 TB	2 TB	2 TB	3 TB	3 TB	3 TB	3 TB	
	Series name		WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	
	Model name		WD20PURX-64AKYY0	WD20PURZ-74AKKY0	WD20PURZ-85AKKY0	WD20EJRX-89AKWY0	WD30PURX-64AKYY0	WD30PURZ-74AKKY0	WD30PURZ-85AKKY0	WD30EJRX-89AKWY0	
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer		64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	
DVR	HRD-E830L		√	√	√	√	√	√	√	√	
	HRD-E430L		√	√	√	√	√	√	√	√	
	HRD-443		Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	N/A				

A5.9 Western Digital (6 ~ 8 TB)

	NO		1	2	3	4	5	6	7	8	9
HDD	Capacity		4 TB	4 TB	4 TB	4 TB	6 TB	6 TB	6 TB	6 TB	
	Series name		WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	WD Purple	
	Model name		WD40PURX-64AKYY0	WD40PURZ-74AKKY0	WD40PURZ-85AKKY0	WD40EJRX-89AKWY0	WD62PURX-64B2MY0	WD62PURZ-74B3AY0	WD62PURZ-85B3AY0	WD62EJRX-89B2VY0	
	Interface		SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	SATA 6Gb/s	
	Buffer		64MB	64MB	64MB	64MB	64MB	64MB	64MB	64MB	
DVR	HRD-E830L		√	√	√	√	√	√	√	√	
	HRD-E430L		√	√	√	√	√	√	√	√	
	HRD-443		Raid1 Support	Raid1 Support	Raid1 Support	Raid1 Support	N/A				

Revision History

Version	Date	changes	Remark
Revision 11.24	2023.12.14	1. XRN-6420DB4 : ST6000VX008-2ZP1, ST4000VX015-3CU1, ST8000VX009-2ZP1 2. The following restriction has been added. For XRN-6420DB4, WD42PURU-64C4CY0, WD63PURU-64C4FY0 only can be use, produced after Jul. 15, 2023.	

Hanwha Vision